United States Sanitary Mfg Co.

Pittsburgh Pa.
U.S.A.

Digitized by the Internet Archive
in 2015

https://archive.org/details/unitedstatessani00unit

Copyrighted, 1911
United States Sanitary Manufacturing Company
Pittsburgh

DESIGNS AND PLATES
BY
RELIANCE ENGRAVING CO.
PITTSBURGH
PRINTED BY
EDWARD STERN & CO., INC.
PHILADELPHIA NEW YORK
ON

BLACK AND WHITE ENAMEL
MADE BY
DILL & COLLINS CO.
PHILADELPHIA

United States Sanitary Mfg Co.

ENAMELED BATHS, SITZ AND FOOT TUBS, RECEPTORS, LAVATORIES, DRINKING FOUNTAINS, LAUNDRY TRAYS, KITCHEN SINKS, SLOP SINKS, URINALS, CLOSET TANKS, ETC., ETC.

General Offices, Arrott Building
PITTSBURGH, PA., U.S.A.

Works: Monaca, Pa.

EASTERN OFFICE
104 W. 42ND STREET
NEW YORK, N. Y.

PACIFIC COAST OFFICE
METROPOLIS BANK BUILDING
SAN FRANCISCO, CAL.



WORKS, MONACA, PA.

Foreword

ONE of the most important features of a modern manufacturing plant is the creative department. In this department for designing and producing new patterns, it is generally conceded that we are not excelled and we believe not equalled. This department is always at the service of our customers, and we are at all times prepared to receive suggestions or honest criticism that will be to our mutual advantage.

Our policy is opposed to a multiplicity of patterns and "freak" designs, which cause the line to become complex with the resulting annoyances and extra expense of handling.

Our pattern department is constantly making new designs and patterns, but all must bear the stamp of merit and coincide with the wording of our trade-mark, "Practicability, Durability and Excellence."

With this in view, we have issued this seventh edition of our catalogue showing all the latest designs and improvements in Sanitary Enameled Ware.

The Illustrations are all made from photographs of the original articles and all dimensions and roughing-in measurements are accurate.

We solicit your inspection of this catalogue when specifying goods.

United States Sanitary Mfg. Co.

PITTSBURGH, PA.
January 1, 1912

ARROTT BUILDING

General Offices

United States Sanitary Mfg Co.

United States Sanitary Mfg Co.

Model Bathroom "A"

United States Sanitary Mfg Co.

Model Bathroom "B"

United States Sanitary Mfg Co.

Model Bathroom "C"

United States Sanitary Mfg Co.



Model Bathroom "D"

Model Bathroom "E"

United States

Cadonia, Plate C 1

ENAMELED Recess Bath with Enameled Iron Shield; 3½-inch under roll-rim on front, 5-inch extended roll-rim on fitting end, 2½-inch flat rim on back and other end. Nickel-plated compression bottom bell supply and waste fittings through rim with china cross handles and china knob on waste.

DIMENSIONS

Width over rim, 30 inches — Width inside, 24 inches
Depth, 17 inches

ROUGHING-IN MEASUREMENTS

Center to center supplies ..... 11 inches
Center supplies and waste to edge of rim ..... 2½ inches
Face of tile to center of waste ..... 13½ inches
(Roughing-in measurements allow 1 inch for tiling.)

Nominal Sizes	4½ Feet	5 Feet	5½ Feet
Plate C 1, as described	$94 00	$99 00	$104 00
Plate C 1, tub with enameled shield, less fittings	72 00	77 00	82 00
Plate C 1, tub with painted shield, less fittings	59 00	64 00	69 00
Length over rim, inches	57	63	69

Blue print roughing-in measurements on application.

Pasadena, Plate C 2

ENAMELED Recess Bath with Enameled Iron Shield; 3½-inch under roll-rim on front, 2½-inch flat rim at back and ends. Nickel-plated compression bottom bell supply and waste fittings with china cross handles, to come through wall.

DIMENSIONS

Width over rim, 30 inches	Height, 22 inches
Width inside, 24 inches	Depth, 17¾ inches

ROUGHING-IN MEASUREMENTS

Center to center supplies	12 inches
Center waste handle to floor	36 inches
Center supply handles to floor	31 inches
Face of tile to center of waste	13½ inches

(Roughing-in measurements allow 1 inch for tiling.)

Nominal Sizes	4½ Feet	5 Feet	5½ Feet
Plate C 2, as described	$90 00	$95 00	$100 00
Plate C 2, tub with enameled shield, less fittings	68 00	73 00	78 00
Plate C 2, tub with painted shield, less fittings	55 00	60 00	65 00
Plate C 4, tub only, without shield for tiling front	45 00	50 00	55 00
Length over rim, inches	57	63	69

Blue print roughing-in measurements on application.

Ansonia, Plate C 11

ENAMELED Corner Bath for right or left corner with Enameled Iron Shield for front and end; 3½-inch roll-rim on front, 5-inch extended roll-rim on fitting end, 2½-inch flat rim on back and other end. Nickel-plated compression bottom bell supply and waste fittings through rim with china cross handles and china knob on waste, ¾-inch supply pipes.

DIMENSIONS

Width over rim, 30 inches
Width inside, 24 inches
Height, 20 inches
Depth, 17 inches

ROUGHING-IN MEASUREMENTS

Center to center supplies . . . . . 11 inches
Center supplies and waste to edge of rim . . . . . 2½ inches
Face of tile to center of waste . . . . . 13½ inches
(Roughing-in measurements allow 1 inch for tiling.)

Nominal Sizes	4½ Feet	5 Feet	5½ Feet
Plate C 11, as described	$94 00	$99 00	$104 00
Plate C 11, tub with enameled shield, less fittings	72 00	77 00	82 00
Length over rim, inches	57	63	69

Blue print roughing-in measurements on application.

Ansonia, Plate C 12

ENAMELED Corner Bath for right or left corner with 3½-inch roll-rim on front, 5-inch extended roll-rim on fitting end, 2½-inch flat rim on back and other end. Nickel-plated compression bottom bell supply and waste fittings through rim with china cross handles and china knob on waste, ¾-inch supply pipes.

DIMENSIONS

Width over rim, 30 inches
Width inside, 24 inches
Height, 20 inches
Depth, 17 inches

ROUGHING-IN MEASUREMENTS

Center to center supplies . . . . . 11 inches
Center supplies and waste to edge of rim . . . . . 2½ inches
Face of tile to center of waste . . . . . 13½ inches
(Roughing-in measurements allow 1 inch for tiling.)

Nominal Sizes	4½ Feet	5 Feet	5½ Feet
Plate C 12, as described	$81 00	$86 00	$91 00
Plate C 12, tub only, less fittings	59 00	64 00	69 00
Length over rim, inches	57	63	69

Blue print roughing-in measurements on application.

Astoria, Plate C 15

ENAMELED Corner Bath for right or left corner, with Enameled Iron Shield for front and end; 3½-inch roll-rim on front and one end, 2½-inch flat rim on back and other end. Nickel-plated compression top fill supply and waste fittings with china cross handles and china knob on waste, ¾-inch supply pipes.

DIMENSIONS

Width over rim, 30 inches — Height, 20 inches
Width inside, 24 inches — Depth, 17 inches

ROUGHING-IN MEASUREMENTS

Center to center supplies . . . . . 11 inches
Center supplies and waste to edge of rim . . . . . 2 inches
Face of tile to center of waste . . . . . 13½ inches
(Roughing-in measurements allow 1 inch for tiling.)

Nominal Sizes	4½ Feet	5 Feet	5½ Feet
Plate C 15, as described	$88 00	$93 00	$98 00
Plate C 15, tub with enameled shield, less fittings	68 00	73 00	78 00
Length over rim, inches	55½	61½	67½

Blue print roughing-in measurements on application.



United States

Astoria, Plate C 16

ENAMELED Corner Bath for right or left corner with 3½-inch roll-rim on front and one end, 2½-inch flat-rim on back and other end. Nickel-plated compression top fill supply and waste fittings with china cross handles and china knob on waste, ¾-inch supply pipes.

Dimensions

Width over rim, 30 inches
Width inside, 24 inches
Height, 20 inches
Depth, 17 inches

Roughing-in Measurements

Center to center supplies . . . . . 11 inches
Center supplies and waste to edge of rim . . . . . 2 inches
Face of tile to center of waste . . . . . 13½ inches
(Roughing-in measurements allow 1 inch for tiling)

Nominal Sizes	4½ Feet	5 Feet	5½ Feet
Plate C 16, as described	$75 00	$80 00	$85 00
Plate C 16, tub only, less fittings	55 00	60 00	65 00
Length over rim, inches	55½	61½	67½

Blue print roughing-in measurements on application.

United States

Colona, Plate C 25

ENAMELED Bath on base, 5-inch roll-rim, nickel-plated compression bottom bell supply and waste fittings through rim with china handles, ¾-inch supply pipes.

DIMENSIONS

Width over rim, 35 inches
Width inside, 25 inches
Height, 24½ inches
Depth, 19 inches

ROUGHING-IN MEASUREMENTS

Center to center supplies . . . . . 11 inches
Center supplies and waste to edge of rim . . . . . 2¼ inches

Nominal Sizes	5½ Feet	6 Feet
Plate C 25, as described	$81 50	$85 50
Plate C 25, tub only, less fittings	59 50	63 50
Length over rim, inches	66	72

Colona, Plate C 26

ENAMELED Bath, 5-inch roll-rim, nickel-plated Fuller bottom bell supply and waste fittings through rim with china handles, ¾-inch supply pipes.

DIMENSIONS

Width over rim, 35 inches
Width inside, 25 inches
Height, 25 inches
Depth, 19 inches

ROUGHING-IN MEASUREMENTS

Center to center supplies ..... 11 inches
Center supplies and waste to edge of rim ..... 2¼ inches

Nominal Sizes	5½ Feet	6 Feet
Plate C 26, as described	$69 50	$73 50
Plate C 26, tub only, less fittings	47 50	51 50
Length over rim, inches	66	72



United States

Colona, Plate C 27

ENAMELED Bath on base, 5-inch roll-rim, nickel-plated compression bottom bell supply and waste fittings through rim with china handles, ¾-inch supply pipes.

DIMENSIONS

Width over rim, 35 inches	Height, 24½ inches
Width inside, 25 inches	Depth, 19 inches

ROUGHING-IN MEASUREMENTS

Center to center supplies	9 inches
Center supplies to edge of rim	3 inches
Center waste to edge of rim	2¼ inches

Nominal Sizes	5½ Feet	6 Feet
Plate C 27, as described	$81 50	$85 50
Plate C 27, tub only, less fittings	59 50	63 50
Length over rim, inches	66	72



Colona, Plate C 28

ENAMELED Bath, 5-inch roll-rim, nickel-plated Fuller bottom bell supply and waste fittings through rim with china handles, ¾-inch supply pipes.

DIMENSIONS

Width over rim, 35 inches	Height, 25 inches
Width inside, 25 inches	Depth, 19 inches

ROUGHING-IN MEASUREMENTS

Center to center supplies	9 inches
Center supplies to edge of rim	3 inches
Center waste to edge of rim	2¼ inches

Nominal Sizes	5½ Feet	6 Feet
Plate C 28, as described	$69 50	$73 50
Plate C 28, tub only, less fittings	47 50	51 50
Length over rim, inches	66	72

United States

Monaca, Plate C 29

ENAMELED Bath on base, 3½-inch roll-rim, nickel-plated compression bottom bell supply and waste fittings with china handles, ½-inch supply pipes on outside of rim.

DIMENSIONS

Width over rim, 32 inches
Width inside, 25 inches
Height, 24½ inches
Depth, 19 inches

ROUGHING-IN MEASUREMENTS

Center to center supplies . . . . . 11 inches
Center supplies and waste to edge of rim . . . . . 1½ inches

Nominal Sizes	5½ Feet	6 Feet
Plate C 29, as described	$70 00	$74 50
Plate C 29, tub only, less fittings	52 00	56 50
Length over rim, inches	64½	70½

Monaca, Plate C 30

ENAMELED Bath, 3½-inch roll-rim, nickel-plated compression bottom bell supply and waste fittings with china handles, ½-inch supply pipes on outside of rim.

DIMENSIONS

Width over rim, 32 inches
Width inside, 25 inches
Height, 25 inches
Depth, 19 inches

ROUGHING-IN MEASUREMENTS

Center to center supplies . . . . . 11 inches
Center supplies and waste to edge of rim . . . . . 1½ inches

Nominal Sizes	5½ Feet	6 Feet
Plate C 30, as described	$58 00	$62 50
Plate C 30, tub only, less fittings	40 00	44 50
Length over rim, inches	64½	70½

United States

Verona, Plate C 45

ENAMELED Bath on low base, 4-inch roll-rim with extension end, outlet in end of tub, nickel-plated compression top fill supply and waste fittings through rim with china handles, ½-inch supply pipes.

DIMENSIONS

Width over rim, 33 inches — Height, 20 inches
Width inside, 25 inches — Depth, 17 inches

ROUGHING-IN MEASUREMENTS

Center to center supplies . . . . . 11 inches
Center supplies and waste to edge of rim . . . . . 2½ inches

Nominal Sizes	4½ Feet	5 Feet	5½ Feet	6 Feet
Plate C 45, as described	$69 50	$74 00	$78 50	$83 00
Plate C 45, tub only, less fittings	49 50	54 00	58 50	63 00
Length over rim, inches	54½	60½	66½	72



Verona, Plate C 46

ENAMELED Bath on Enameled Block Feet, 4-inch roll-rim with extension end, outlet in end of tub, nickel-plated compression bottom bell supply and waste fittings through rim with china handles, ½-inch supply pipes.

DIMENSIONS

Width over rim, 33 inches
Width, inside 25 inches
Height, 20 inches
Depth, 17 inches

ROUGHING-IN MEASUREMENTS

Center to center supplies . . . . . 11 inches
Center supplies and waste to edge of rim . . . . . 2½ inches

Nominal Sizes	4½ Feet	5 Feet	5½ Feet	6 Feet
Plate C 46, as described	$63 50	$68 00	$72 50	$77 00
Plate C 46, tub only, less fittings	43 50	48 00	52 50	57 00
Length over rim, inches	54½	60½	66½	72



United States

Verona, Plate C 47

ENAMELED Bath on base, 4-inch roll-rim with extension end, nickel-plated compression bottom bell supply and waste fittings through rim with china handles, ½-inch supply pipes.

DIMENSIONS

Width over rim, 33 inches
Width inside, 25 inches
Height, 22 inches
Depth, 17 inches

ROUGHING-IN MEASUREMENTS

Center to center supplies..... 11 inches
Center supplies and waste to edge of rim,..... 2½ inches

Nominal Sizes	4½ Feet	5 Feet	5½ Feet	6 Feet
Plate C 47, as described.....	$69 50	$74 00	$78 50	$83 00
Plate C 47, tub only, less fittings.....	49 50	54 00	58 50	63 00
Length over rim, inches.....	54½	60½	66½	72



Verona, Plate C 48

ENAMELED Bath, 4-inch roll-rim with extension end, nickel-plated compression bottom bell supply and waste fittings through rim with china handles, ½-inch supply pipes.

DIMENSIONS

Width over rim, 33 inches — Height, 22 inches
Width inside, 25 inches — Depth, 17 inches

ROUGHING-IN MEASUREMENTS

Center to center supplies . . . . . 11 inches
Center supplies and waste to edge of rim . . . . . 2½ inches

Nominal Sizes	4½ Feet	5 Feet	5½ Feet	6 Feet
Plate C 48, as described	$57 50	$62 00	$66 50	$71 00
Plate C 48, tub only, less fittings	37 50	42 00	46 50	51 00
Length over rim, inches	54½	60½	66½	72

United States Sanitary Mfg Co.

United States

Superba, Plate C 55

ENAMELED Bath on low base, 3-inch roll-rim with extension end outlet in end of tub, nickel-plated compression top fill supply and waste fittings through rim with china handles, ½-inch supply pipes.

DIMENSIONS

Width over rim, 30 inches
Width inside, 24 inches
Height, 20 inches
Depth, 17 inches

ROUGHING-IN MEASUREMENTS

Center to center supplies . . . . . 11 inches
Center supplies and waste to edge of rim . . . . . 2½ inches

Nominal Sizes	4½ Feet	5 Feet	5½ Feet	6 Feet
Plate C 55, as described	$64 50	$64 50	$70 00	$75 50
Plate C 55, tub only, less fittings	44 50	44 50	50 00	55 50
Length over rim, inches	57	63	69	75½

Superba, Plate C 56

ENAMELED Bath on base, 3-inch roll-rim with extension end, nickel-plated compression top fill supply and waste fittings through rim, ½-inch supply pipes.

DIMENSIONS

Width over rim, 30 inches
Width inside, 24 inches
Height, 22 inches
Depth, 17 inches

ROUGHING-IN MEASUREMENTS

Center to center supplies . . . . . 11 inches
Center supplies and waste to edge of rim . . . . . 2½ inches

Nominal Sizes	4½ Feet	5 Feet	5½ Feet	6 Feet
Plate C 56, as described	$62 50	$62 50	$68 00	$73 50
Plate C 56, tub only, less fittings	44 50	44 50	50 00	55 50
Length over rim, inches	57	63	69	75½

Superba, Plate C 57

ENAMELED Bath, 3-inch roll-rim with extension end, nickel-plated compression bottom bell supply and waste fittings through rim, ½-inch supply pipes.

DIMENSIONS

Width over rim, 30 inches — Height, 22 inches
Width inside, 24 inches — Depth, 17 inches

ROUGHING-IN MEASUREMENTS

Center to center supplies . . . . . 11 inches
Center supplies and waste to edge of rim . . . . . 2½ inches

Nominal Sizes	4½ Feet	5 Feet	5½ Feet	6 Feet
Plate C 57, as described	$50 50	$50 50	$56 00	$61 50
Plate C 57, tub only, less fittings	32 50	32 50	38 00	43 50
Length over rim, inches	57	63	69	75½



Regala, Plate C 59

ENAMELED Bath on Enameled Block Feet, 3½-inch roll-rim with extension end, 2-inch outlet in end of tub, nickel-plated compression bottom bell supply and waste fittings through rim with china handles, ¾-inch supply pipes.

DIMENSIONS

Width over rim, 34 inches
Width inside, 27 inches
Height, 22 inches
Depth, 19 inches

ROUGHING-IN MEASUREMENTS

Center to center supplies..... 11 inches
Center supplies and waste to edge of rim..... 2½ inches

Nominal Sizes	5½ Feet	6 Feet
Plate C 59, as described	$74 50	$79 00
Plate C 59, tub only, less fittings	52 50	57 00
Plate C 60, on low base, tub only, less fittings	58 50	63 00
Length over rim, inches	66	72

Luxora, Plate C 61

ENAMELED Bath, 3-inch roll-rim with extension end, nickel-plated compression bottom bell supply and waste fittings through rim, ½-inch supply pipes.

DIMENSIONS

Width over rim, 30 inches — Height, 22 inches
Width inside, 24 inches — Depth, 17 inches

ROUGHING-IN MEASUREMENTS

Center to center supplies . . . . . 9 inches
Center supplies to center of waste . . . . . 1¾ inches
Center waste to edge of rim . . . . . 3½ inches

Nominal Sizes	4½ Feet	5 Feet	5½ Feet
Plate C 61, as described	$45 00	$48 00	$51 75
Plate C 61, tub only, less fittings	27 00	30 00	33 75
Length over rim, inches	58	64	70



Luxora, Plate C 62

ENAMELED Bath, 3-inch roll-rim with extension end, No. 4½ nickel-plated Fuller faucet and ½-inch supply pipes, nickel-plated Ideal waste through rim.

DIMENSIONS

Width over rim, 30 inches
Width inside, 24 inches
Height, 22 inches
Depth, 17 inches

ROUGHING-IN MEASUREMENTS

Center to center supplies . . . . . 6 inches
Center supplies to center of waste . . . . . 1¼ inches
Center waste to edge of rim . . . . . 3½ inches

Nominal Sizes	4½ Feet	5 Feet	5½ Feet
Plate C 62, as described	$42 00	$45 00	$48 75
Plate C 62, tub only, less fittings	27 00	30 00	33 75
Length over rim, inches	58	64	70

United States

Ideal, Plate C 67

ENAMELED Bath on low base, 3-inch roll-rim, outlet in end of tub, nickel-plated compression top fill supply and waste fittings with china handles, ½-inch supply pipes.

DIMENSIONS

Width over rim, 30 inches — Height, 20 inches
Width inside, 24 inches — Depth, 17 inches

ROUGHING-IN MEASUREMENTS

Center to center supplies . . . . . 11 inches
Center supplies and waste to edge of rim . . . . . 2 inches

Nominal Sizes	4½ Feet	5 Feet	5½ Feet
Plate C 67, as described	$52 00	$55 00	$58 75
Plate C 67, tub only, less fittings	34 00	37 00	40 75
Length over rim, inches	54	60	66

United States Sanitary Mfg Co.

United States

Ideal, Plate C 68

ENAMELED Bath on base, 3-inch roll-rim, nickel-plated compression bottom bell supply and waste fittings, ½-inch supply pipes.

DIMENSIONS

Width over rim, 30 inches — Height, 22 inches
Width inside, 24 inches — Depth, 17 inches

ROUGHING-IN MEASUREMENTS

Center to center supplies..... 11 inches
Center supplies and waste to edge of rim..... 2 inches

Nominal Sizes	4½ Feet	5 Feet	5½ Feet
Plate C 68, as described.....	$49 00	$52 00	$55 75
Plate C 68, tub only, less fittings.....	34 00	37 00	40 75
Length over rim, inches.....	54	60	66

Ideal, Plate C 69

ENAMELED Bath, 3-inch roll-rim, nickel-plated compression bottom bell supply and waste fittings, ½-inch supply pipes.

DIMENSIONS

Width over rim, 30 inches — Height, 22 inches
Width inside, 24 inches — Depth, 17 inches

ROUGHING-IN MEASUREMENTS

Center to center supplies . . . . . 11 inches
Center supplies and waste to edge of rim . . . . . 2 inches

Nominal Sizes	4½ Feet	5 Feet	5½ Feet
Plate C 69, as described	$39 00	$42 00	$45 75
Plate C 69, tub only, less fittings	24 00	27 00	30 75
Length over rim, inches	54	60	66



Ideal, Plate C 70

ENAMELED Bath, 3-inch roll-rim, drilled regular 2½-inch overflow hole, 1¼-inch cock holes, 3⅜ inches center to center.

DIMENSIONS

Width over rim, 30 inches
Width inside, 24 inches
Height, 22 inches
Depth, 17 inches

Nominal Sizes	4½ Feet	5 Feet	5½ Feet
Plate C 70, as described	$24 00	$27 00	$30 75
Length over rim, inches	54	60	66



Premier, Plate C 75

ENAMELED Bath, 3-inch roll-rim, nickel-plated compression bottom bell supply and waste fittings, ½-inch supply pipes.

DIMENSIONS

Width over rim, 30 inches — Height, 22 inches
Width inside, 24 inches — Depth, 17 inches

ROUGHING-IN MEASUREMENTS

Center to center supplies..... 11 inches
Center supplies and waste to edge of rim..... 2 inches

Nominal Sizes	4 Feet	4½ Feet	5 Feet	5½ Feet	6 Feet
Plate C 75, as described.....	$39 00	$39 00	$42 00	$45 75	$50 25
Plate C 75, tub only, less fittings..	24 00	24 00	27 00	30 75	35 25
Length over rim, inches.....	48	54	60	66	72



Premier, Plate C 76

ENAMELED Bath, 3-inch roll-rim, drilled regular 2½-inch overflow hole, 1¼-inch cock holes, 3⅜ inches center to center.

DIMENSIONS

Width over rim, 30 inches
Width inside, 24 inches
Height, 22 inches
Depth, 17 inches

Nominal Sizes	4 Feet	4½ Feet	5 Feet	5½ Feet	6 Feet
Plate C 76, as described.....	$24 00	$24 00	$27 00	$30 75	$35 25
Length over rim, inches.....	48	54	60	66	72



Excelsior, Plate C 79

ENAMELED Bath, 2½-inch roll-rim, nickel-plated compression bottom bell supply and waste fittings, ½-inch supply pipes.

DIMENSIONS

Width over rim, 29 inches — Height, 22 inches
Width inside, 24 inches — Depth, 17 inches

ROUGHING-IN MEASUREMENTS

Center to center supplies ..... 11 inches
Center supplies and waste to edge of rim ..... 2 inches

Nominal Sizes	4 Feet	4½ Feet	5 Feet	5½ Feet	6 Feet
Plate C 79, as described	$36 75	$36 75	$39 00	$42 75	$47 25
Plate C 79, tub only, less fittings	21 75	21 75	24 00	27 75	32 25
Length over rim, inches	48	54	60	66	72



Excelsior, Plate C 80

ENAMELED Bath, 2½-inch roll-rim, drilled regular 2½-inch overflow hole, 1¼-inch cock holes, 3⅜ inches center to center.

DIMENSIONS

Width over rim, 29 inches
Width inside, 24 inches
Height, 22 inches
Depth, 17 inches

Nominal Sizes	4 Feet	4½ Feet	5 Feet	5½ Feet	6 Feet
Plate C 80, as described.....	$21 75	$21 75	$24 00	$27 75	$32 25
Length over rim, inches.....	48	54	60	66	72



Plate C 83

ENAMELED Portable Bath, 3-inch roll-rim, 1½-inch ground joint outlet valve, rubber-tired wheels, wrought-iron draw handle.

DIMENSIONS

Width over rim, 30 inches
Width inside, 24 inches
Height, 22 inches
Depth, 17 inches

Nominal Sizes	4 Feet	4½ Feet	5 Feet	5½ Feet	6 Feet
Plate C 83, as described	$46 00	$46 00	$49 00	$52 75	$57 25
Length over rim, inches	48	54	60	66	72



Plate C 84

ENAMELED Portable Bath, 3-inch roll-rim, 1½-inch ground joint outlet valve, 4-inch rubber-tired wheels in swivels.

DIMENSIONS

Width over rim, 30 inches
Width inside, 24 inches
Height, 22 inches
Depth, 17 inches

Nominal Sizes	4 Feet	4½ Feet	5 Feet	5½ Feet	6 Feet
Plate C 84, as described.....	$44 00	$44 00	$47 00	$50 75	$55 25
Length over rim, inches.....	48	54	60	66	72

Plate C 85

ENAMELED Bath, 2½-inch roll-rim, nickel-plated bottom bell supply and waste fittings, compression valves with loose key handles, and ½-inch supply pipes.

DIMENSIONS

Width over rim, 29 inches
Width inside, 24 inches
Height, 22 inches
Depth, 17 inches

ROUGHING-IN MEASUREMENT

Center to center supplies . . . . . 11 inches

Nominal Sizes	4 Feet	4½ Feet	5 Feet	5½ Feet	6 Feet
Plate C 85, as described	$31 75	$31 75	$34 00	$37 75	$42 25
Length over rim, inches	48	54	60	66	72

Climax, Plate C 91

ENAMELED Bath, 3-inch roll-rim, drilled regular 2½-inch overflow hole, 1¼-inch cock holes, 3⅜ inches center to center.

DIMENSIONS

Width over rim, 30 inches
Width inside, 24 inches
Height, 22 inches
Depth, 17 inches

Nominal Sizes	4 Feet	4½ Feet	5 Feet	5½ Feet	6 Feet
Plate C 91, as described.....	$21 50	$21 50	$23 50	$27 00	$31 00
Length over rim, inches.....	48	54	60	66	72

Harlem, Plate C 93

ENAMELED Bath, 2-inch roll-rim, drilled regular 2½-inch overflow hole, $1\frac{1}{4}$-inch cock holes, $3\frac{3}{8}$ inches center to center.

DIMENSIONS

Width over rim, 26 inches
Width inside, 22 inches
Height, 22 inches
Depth, 17 inches

Nominal Sizes	4 Feet	4½ Feet	5 Feet	5½ Feet
Plate C 93, as described	$19 50	$19 50	$21 50	$24 50
Length over rim, inches	48	55	61	67

Naro, Plate C 95

ENAMELED Bath, 1½-inch roll-rim, drilled regular 2½-inch overflow hole, 1¼-inch cock holes, 3⅜ inches center to center.

DIMENSIONS

Width over rim, 25 inches
Width inside, 22 inches
Height, 22 inches
Depth, 17 inches

Nominal Sizes	4 Feet	4½ Feet	5 Feet	5½ Feet
Plate C 95, as described	$19 50	$19 50	$21 50	$24 50
Length over rim, inches	48	54	60	66

Plate C 105

ENAMELED Pool Bath, 3½-inch roll-rim.
May be furnished with bell supply and waste fittings.

DIMENSIONS

Length over rim, 48 inches Width over rim, 36 inches
Depth, 14 inches

Nominal Size	36 x 48
Plate C 105, with fittings	$60 00
Plate C 105, less fittings	45 00
Plate C 106, on base, with fittings	72 00
Plate C 106, on base, less fittings	57 00



Plate C 110

ENAMELED Recess Receptor with Integral Apron for shower and needle baths, 2½-inch roll-rim on front, 5-inch nickel-plated strainer with thimble recessed for 2½-inch lead pipe.

Nominal Sizes, Inches	36 x 36	42 x 42
Height, floor to top of roll, inches	7	7
Depth inside, inches	6	6
Plate C 110, as described	$35 50	$49 00

United States

Plate C 115

ENAMELED Round Receptor, with integral base to floor, for shower and needle baths, 2½-inch roll-rim, 5-inch nickel-plated strainer with thimble recessed for 2½-inch lead pipe.

Nominal Size	36 Inches
Height, floor to top of roll, inches	7
Depth inside, inches	6
Plate C 115, as described	$38 00

United States

Plate C 116

ENAMELED Round Receptor for shower and needle baths, 2½-inch roll-rim, 5-inch nickel-plated strainer with thimble recessed for 2½-inch lead pipe.

Nominal Size	36 Inches
Height, floor to top of roll, inches	9
Depth inside, inches	6
Plate C 116, as described	$32 00

United States

Plate C 119

ENAMELED Square Receptor on base for shower and needle baths, 2½-inch roll-rim, 5-inch nickel-plated strainer with thimble recessed for 2½-inch lead pipe.

Nominal Sizes, Inches	36 x 36	42 x 42
Height, floor to top of roll, inches	9	9
Depth inside, inches	6	6
Plate C 119, as described	$35 50	$49 00

United States

Plate C 120

ENAMELED Square Receptor for shower and needle baths, 2½-inch roll-rim, 5-inch nickel-plated strainer with thimble recessed for 2½-inch lead pipe.

Nominal Sizes, Inches	36 x 36	42 x 42
Height, floor to top of roll, inches	9	9
Depth inside, inches	6	6
Plate C 120, as described	$27 50	$38 00

Plate C 125

ENAMELED Sitz Bath on base, 3-inch roll-rim with 5-inch extension rim on both sides, nickel-plated compression bell supply and waste fittings through rim, ½-inch supply pipes.

DIMENSIONS

Front to back over rim, 31½ inches
Height at back, 22 inches
Width over rim, 34 inches
Height at front, 14½ inches
Depth, 9¾ inches

ROUGHING-IN MEASUREMENTS

Center to center supplies ..... 8½ inches
Center supplies and waste to edge of rim ..... 2½ inches

Nominal Size, Inches	31½ x 34
Plate C 125, as described	$57 00
Plate C 125, tub only, less fittings	40 50

Plate C 126

ENAMELED Sitz Bath, 3-inch roll-rim with 5-inch extension rim on both sides, nickel-plated compression bell supply and waste fittings through rim, ½-inch supply pipes.

DIMENSIONS

Front to back over rim, 31½ inches
Width over rim, 34 inches
Height at back, 22 inches
Height at front, 14½ inches
Depth, 9¾ inches

ROUGHING-IN MEASUREMENTS

Center to center supplies ..... 8½ inches
Center supplies and waste to edge of rim ..... 2½ inches

Nominal Size, Inches	31½ x 34
Plate C 126, as described	$49 00
Plate C 126, tub only, less fittings	32 50

United States

Plate C 131

ENAMELED Foot Bath on base, 2½-inch roll-rim with extension end, nickel-plated compression bottom bell supply and waste fittings through rim, ½-inch supply pipes.

DIMENSIONS

Length over rim, 22 inches
Width over rim, 22 inches
Height, 16 inches
Depth, 12 inches

ROUGHING-IN MEASUREMENTS

Center to center supplies . . . . . 8 inches
Center supplies and waste to edge of rim . 2¾ inches

Nominal Size, Inches	22 x 22
Plate C 131, as described	$36 50
Plate C 131, tub only, less fittings	20 00

Plate C 132

ENAMELED Foot Bath, 2½-inch roll-rim with extension end, nickel-plated compression bottom bell supply and waste fittings through rim, ½-inch supply pipes.

DIMENSIONS

Length over rim, 22 inches
Width over rim, 22 inches
Height, 16 inches
Depth, 12 inches

ROUGHING-IN MEASUREMENTS

Center to center supplies . . . . . 8 inches
Center supplies and waste to edge of rim . . . . . 2¾ inches

Nominal Size, Inches	22 x 22
Plate C 132, as described	$31 50
Plate C 132, tub only, less fittings	15 00

Plate C 151

VITREOUS ball foot. May be furnished for "Verona," "Superba," "Luxora," "Ideal" and "Premier" Baths.

Plate C 152

VITREOUS ball foot. May be furnished for "Colona" and "Monaca" Baths.

Plate C 153

ENAMELED block foot. May be furnished for "Verona," "Superba," "Luxora," "Ideal," and "Premier" Baths.

Plate C 154

PLAIN Ball pattern foot. May be furnished for "Colona" and "Monaca" Baths.

United States Sanitary Mfg Co.



SIMPLICITY in the method of attaching feet to porcelain-enameled baths is an essential requisite. We illustrate above a method that is simplicity itself. It requires only the insertion of a key into the slot in the tongue of the foot.

There are no bolts to lose; no holes tapped which may injure the porcelain enamel.

Each tub is fitted with a set of feet and this set is shipped with its particular bath.

All feet are interchangeable.

PRICES OF EXTERIOR FINISHES

	Tubs	Foot, Sitz, and Pool Baths, and Receptors
If exterior is finished zinc white, add	$13 00	$6 50
If exterior is finished No. 2 zinc white, add	9 00	4 50
If with gold bands, extra	3 00	1 50
If with legs to stand 25 inches from floor, add per set	50	

Plate C 171

NICKEL-PLATED Compression Top Fill Supply and Waste Fittings.



Plate C 172

NICKEL-PLATED Compression Bottom Bell Supply and Waste Fittings.

Plate C 173

NICKEL-PLATED Fuller Top Fill Supply and Waste Fittings.



Plate C 174

NICKEL-PLATED Fuller Bottom Bell Supply and Waste Fittings.



Plate C 180

NICKEL-PLATED Compression Top Fill Supply and Waste Fittings, packed through rim.



Plate C 183

OUTLET Nipple and Strainer for End Outlet Tub.



Plate C 185

NICKEL-PLATED Compression Combination Supply and Waste Fittings for Lavatories.



Plate C 186

NICKEL-PLATED Fuller Combination Supply and Waste Fittings for Lavatories.



Plate C 188

IXL Lifting Plug Basin Waste
(Patent applied for)

FURNISHED with any of our lavatories. Simple to operate, durable, sanitary.

Roughing-in measurements same as lavatories with P. O. basins.

Plate C 191

NICKEL-PLATED Bubbling Cup, with Self-Closing Ring.

Plate C 192

NICKEL-PLATED Bubbling Cup.

United States Sanitary Mfg Co.



United States

THE construction of *integral* enameled lavatories is such as to dispense with the use of exposed brackets, which are necessary in the erection of lavatories with detached backs.

Our concealed bracket, as above illustrated, embodies more *strength* and may also be erected with more *ease* and in less *time* than any other bracket on the market.

Unless otherwise specified, the above wall hanger will be furnished with all our lavatories having backs.

United States Sanitary Mfg Co.

United States

Patented

THE above cut illustrates the new style *Usanco* depressed overflow and soap cup we have adopted on all of our patent overflow lavatories. The strainer is made of nickel-silver, polished, and positively will not tarnish, and may be easily removed for the cleansing of the overflow chamber, thus insuring a practical, sanitary overflow chamber.

United States Sanitary Mfg Co.

Patented

THIS sectional illustration shows the construction of our Gothic lavatory.

The pedestal and bowl support are cast integral, giving the same appearance as if the whole (slab, basin and pedestal) were one piece.

The floor attachment eliminates all exposed bolts or screws.



Plate C 201

Battery of Gothic Lavatories. For prices and descriptions, see page 75

United States

Plate C 205

ENAMELED Lavatory with enameled pedestals, for nickel-plated Ideal wastes.

DIMENSIONS

Size, 26 x 43 inches Oval basins, 13 x 17 inches

Roughing-in Measurements	26 x 43
Center to center wastes across slab, inches	10
Center to center supplies across slab, inches	11
Center to center supplies each basin, inches	7¼
Center to center bowls, inches	22
Plate C 205, less fittings	$49 00
Same, with patent overflow only	49 00
Add for Ideal wastes	7 00

The Gothic Lavatory, Plate C 206 (Patented)

ENAMELED Lavatory with enameled pedestal, for nickel-plated Ideal waste.

DIMENSIONS

Size, 24 x 33 inches — Oval basin, 13 x 17 inches
Size, 19 x 28 inches — Oval basin, 11 x 15 inches

	24 x 33	19 x 28
Plate C 206, less fittings	$36 00	$30 50

Add for Ideal waste, $3.50.
Above may be furnished with *Usanco* overflow and soap cup.
Roughing-in measurements same as given on page 75

The Gothic Lavatory, Plate C 207 (Patented)

ENAMELED Lavatory with enameled pedestal, for nickel-plated Ideal waste.

DIMENSIONS

Size, 24 x 33 inches — Oval basin, 13 x 17 inches

	24 x 33
Plate C 207, less fittings	$36 00

Add for Ideal waste, $3.50.
Roughing-in measurements given upon application.

United States Sanitary Mfg Co

The Alberta Lavatory, Plate C 208 (Patented)

ENAMELED Lavatory with enameled pedestal, for nickel-plated Ideal Waste.

DIMENSIONS

Size, 24 x 30 inches D basin, 13 x 18 inches

	24 x 30
Plate C 208, less fittings	$36 00

May be furnished with *Usanco* overflow and soap cup.
Roughing in measurements same as given on page 80.



Plate C 209

ENAMELED Lavatory with *Usanco* overflows and soap cups.

DIMENSIONS

Size, 20 x 44 inches Back, 10 inches
D basins, 11 x 15 inches

	20 x 44
Plate C 209, as described	$30 00

May be furnished with Ideal or IXL wastes.
Roughing-in measurements given upon application.

United States

The Gothic Lavatory, Plate C 216 (Patented)

ENAMELED Lavatory with enameled pedestal, nickel-plated compression combination supply and waste fittings with china handles.

DIMENSIONS

Size, 24 x 33 inches — Oval basin, 13 x 17 inches
Size, 19 x 28 inches — Oval basin, 11 x 15 inches

Roughing-in Measurements	24 x 33	19 x 28
Center to center supplies, inches	12¼	10
Center supplies to wall, inches	7½	6
Center waste to wall, inches	6¼	5
From top of slab to boss on outlet, inches	7	6
Plate C 216, with fittings, as described	$52 00	$46 50
Plate C 216, less fittings	36 00	30 50

Above measurements allow 1½ inches between lavatory and wall.

United States Sanitary Mfg Co.

The Gothic Lavatory, Plate C 217 (Patented)

ENAMELED Lavatory with enameled pedestal, nickel-plated Fuller combination supply and waste fittings with china handles.

DIMENSIONS

Size, 24 x 33 inches — Oval basin, 13 x 17 inches
Size, 19 x 28 inches — Oval basin, 11 x 15 inches

Roughing-in Measurements	24 x 33	19 x 28
Center to center supplies, inches	12¼	10
Center supplies to wall, inches	7½	6
Center waste to wall, inches	6¼	5
From top of slab to boss on outlet, inches	7	6
Plate C 217, with fittings, as described	$51 00	$47 00
Plate C 217, less fittings	36 00	30 50

Above measurements allow 1½ inches between lavatory and wall.

The Gothic Lavatory, Plate C 218, (Patented)

ENAMELED Lavatory with enameled pedestal, *Usanco* overflow and soap cup.

DIMENSIONS

Size, 24 x 33 inches — Oval basin, 13 x 17 inches
Size, 19 x 28 inches — Oval basin, 11 x 15 inches

Roughing-in Measurements	24 x 33	19 x 28
Center to center supplies, inches	12¼	10
Center supplies to wall, inches	7½	6
Center waste to wall, inches	15	12
From top of slab to boss on outlet, inches	7	6
Plate C 218, less fittings	$36 00	$30 50

Above measurements allow 1½ inches between lavatory and wall.

The Gothic Lavatory, Plate C 219 (Patented)

ENAMELED Lavatory with enameled pedestal, for nickel-plated Ideal waste with china index.

DIMENSIONS

Size, 24 x 33 inches — Oval basin, 13 x 17 inches
Size, 19 x 28 inches — Oval basin, 11 x 15 inches

Roughing-in Measurements	24 x 33	19 x 28
Center to center supplies, inches	12¼	10
Center supplies to wall, inches	7½	6
Center waste to wall, inches	6¼	5
From top of slab to boss on outlet, inches	7	6
Plate C 219, less fittings	$36 00	$30 50

Above measurements allow 1½ inches between lavatory and wall.
Add for Ideal waste, $3.50.
May be furnished with patent overflow and IXL waste.

United States Sanitary Mfg Co.

Plate C 222 (Patented)

ENAMELED Lavatory with enameled leg, *Usanco* overflow and soap cup and concealed wall brackets

DIMENSIONS

Size, 19 x 28 inches — Oval basin, 11 x 15 inches

Roughing-in Measurements	19 x 28
Center to center supplies, inches	10
Center supplies to wall, inches	6
Center waste to wall, inches	5
From top of slab to boss on outlet, inches	6
Plate C 222, as described, less fittings	$24 50

Above measurements allow 1½ inches between lavatory and wall.
May be furnished with Ideal or IXL waste.

Plate C 223 (Patented)

ENAMELED Lavatory with concealed wall brackets, for Ideal waste.

DIMENSIONS

Size, 24 x 33 inches — Oval basin, 13 x 17 inches
Size, 19 x 28 inches — Oval basin, 11 x 15 inches

Roughing-in Measurements	24 x 33	19 x 28
Center to center supplies, inches	12¼	10
Center supplies to wall, inches	7½	6
Center waste to wall, inches	6¼	5
From top of slab to boss on outlet, inches	7	6
Plate C 223, less fittings	$25 00	$19 50
With *Usanco* overflow and soap cup	25 00	19 50
With nickel-plated combination Fuller fittings	43 00	37 50
With nickel-plated combination compression fittings	44 00	38 50

Add for enameled exterior, $3.00.
Add for Ideal waste, $3.50.

The Alberta Lavatory, Plate C 230 (Patented)

ENAMELED Lavatory with enameled pedestal, nickel-plated Fuller combination supply and waste fittings with china handles.

DIMENSIONS

Size, 24 x 30 inches — D basin, 13 x 18 inches

Roughing-in Measurements	24 x 30
Center to center supplies, inches	12¼
Center supplies to wall, inches	6¾
Center waste to wall, inches	5½
From top of slab to boss on outlet, inches	7¼
Plate C 230, with fittings, as described	$51 00
Plate C 230, less fittings	36 00

Above measurements allow 1½ inches between lavatory and wall.

The Alberta Lavatory, Plate C 231 (Patented)

ENAMELED Lavatory with enameled pedestal and patent overflow, for nickel-plated IXL waste with china lever.

DIMENSIONS

Size, 24 x 30 inches D basin, 13 x 18 inches

Roughing-in Measurements	24 x 30
Center to center supplies, inches	12¼
Center supplies to wall, inches	6¾
Center waste to wall, inches	11
From top of slab to boss on outlet, inches	7¼
Plate C231, less fittings	$36.00

Above measurements allow 1½ inches between lavatory and wall.
Add for IXL waste, $3.50.

The Alberta Lavatory, Plate C 232 (Patented)

ENAMELED Lavatory with enameled pedestal, for nickel-plated Ideal waste with china knob.

DIMENSIONS

Size, 24 x 30 inches — D basin, 13 x 18 inches

Roughing-in Measurements	24 x 30
Center to center supplies, inches	12¼
Center supplies to wall, inches	6¾
Center waste to wall, inches	5½
From top of slab to boss on outlet, inches	7¼
Plate C 232, less fittings	$36 00

Above measurements allow 1½ inches between lavatory and wall.
Add for Ideal waste $3.50

Plate C 233 (Patented)

ENAMELED Lavatory with concealed wall brackets, for Ideal waste.

DIMENSIONS

Size, 24 x 30 inches D basin, 13 x 18 inches

Roughing-in Measurements	24 x 30
Center to center supplies, inches	12¼
Center supplies to wall, inches	6¾
Center waste to wall, inches	5½
From top of slab to boss on outlet, inches	7¼
Plate C 233, less fittings	$25 00

Above measurements allow 1½ inches between lavatory and wall.
Add for Ideal waste, $3.50.
May be furnished with IXL waste.

Plate C 242 (Patented)

ENAMELED Lavatory with enameled leg, for nickel-plated Ideal waste.

DIMENSIONS

Size, 21 x 26 inches Back, 12 inches D basin, 11¼ x 16½ inches

Roughing-in Measurements	21 x 26
Center to center supplies, inches	11
Center supplies to wall, inches	4¼
Center waste to wall, inches	4
Plate C 242, less fittings	$26 00

Add for Ideal Waste, $3.50.

Plate C 243 (Patented)

ENAMELED Lavatory with enameled leg, *Usanco* overflow and soap cup.

DIMENSIONS

Size, 21 x 26 inches Back, 12 inches D basin, 11¼ x 16½ inches

Roughing-in Measurements	21 x 26
Center to center supplies, inches	11
Center supplies to wall, inches	4¼
Center waste to wall, inches	9¼
Plate C 243, as described	$26 00

May be furnished with IXL waste.

Plate C 244 (Patented)

ENAMELED Lavatory, for nickel-plated Ideal Waste.

DIMENSIONS

Size, 21 x 26 inches — Back, 12 inches

D basin, 11¼ x 16½ inches

Roughing-in Measurements	21 x 26
Center to center supplies, inches	11
Center supplies to wall, inches	4¼
Center waste to wall, inches	4
Plate C 244, less fittings	$20 00

Add for Ideal waste, $3.50.

United States

Plate C 245 (Patented)

ENAMELED Lavatory with *Usanco* overflow and soap cup.

DIMENSIONS

Size, 21 x 26 inches Back, 12 inches

D basin, 11¼ x 16½ inches

Roughing-in Measurements	21 x 26
Center to center supplies, inches	11
Center supplies to wall, inches	4¼
Center waste to wall, inches	9¼
Plate C 245, as described	$20 00

May be furnished with IXL waste.

Plate C 254

ENAMELED Lavatory with enameled leg and concealed wall brackets, for nickel-plated Ideal waste.

DIMENSIONS

Size, 20 x 24 inches — D basin, 11 x 15 inches
Size, 22 x 28 inches — D basin, 13 x 17 inches

Roughing-in Measurements	20 x 24	22 x 28
Center to center supplies, inches	10	12
Center supplies to wall, inches	5	5½
Center waste to wall, inches	4¾	5¼
Plate C 254, less fittings	$18 50	$22 50

Add for Ideal waste, $3.50.

Plate C 255

ENAMELED Lavatory with enameled leg, *Usanco* overflow and soap cup and concealed wall brackets.

DIMENSIONS

Size, 20 x 24 inches — D basin, 11 x 15 inches
Size, 22 x 28 inches — D basin, 13 x 17 inches

Roughing-in Measurements	20 x 24	22 x 28
Center to center supplies, inches	10	12
Center supplies to wall, inches	5	5½
Center waste to wall, inches	9	10½
Plate C 255, as described	$18 50	$22 50

Plate C 256

ENAMELED Lavatory, for nickel-plated Ideal waste, concealed wall brackets.

DIMENSIONS

Size, 20 x 24 inches — D basin, 11 x 15 inches
Size, 22 x 28 inches — D basin, 13 x 17 inches

Roughing-in Measurements	20 x 24	22 x 28
Center to center supplies, inches	10	12
Center supplies to wall, inches	5	5½
Center waste to wall, inches	4¾	5¼
Plate C 256, less fittings	$12 50	$17 50

Add for Ideal waste, $3.50

Plate C 257

ENAMELED Lavatory with *Usanco* overflow and soap cup, concealed wall brackets.

DIMENSIONS

Size, 20 x 24 inches — D basin, 11 x 15 inches
Size, 22 x 28 inches — D basin, 13 x 17 inches

Roughing-in Measurements	20 x 24	22 x 28
Center to center supplies, inches	10	12
Center supplies to wall, inches	5	5½
Center waste to wall, inches	9	10½
Plate C 257, as described	$12 50	$17 50

Plate C 262

ENAMELED Lavatory with enameled leg with combination compression supply fixture through back, *Usaneo* overflow and soap cup.

DIMENSIONS

Size, 18 x 24 inches	Back, 10 inches	D basin, 11 x 15 inches
Size, 20 x 24 inches	Back, 10 inches	D basin, 11 x 15 inches

Roughing-in Measurements	18 x 24	20 x 24
Center to center supplies, inches	8	8
Center waste to wall, inches	8	8
Plate C 262, as described	$32 00	$33 50
Plate C 262, less combination fixture	20 00	21 50

Plate C 263

ENAMELED Lavatory with enameled leg with combination compression supply fixture.

DIMENSIONS

Size, 20 x 24 inches Back, 10 inches D basin, 11 x 15 inches

Roughing-in Measurements	20 x 24
Center to center supplies, inches	8
Center supplies to wall, inches	3½
Center waste to wall, inches	8
Plate C 263, as described	$33 50
Plate C 263. less combination fixture	21 50

Plate C 264

ENAMELED Lavatory with enameled leg, *Usanco* overflow and soap cup.

DIMENSIONS

Size, 18 x 21 inches Back, 6 inches

D basin, 11 x 15 inches

Roughing-in Measurements	18 x 21
Center to center supplies, inches	10
Center supplies to wall, inches	3
Center waste to wall, inches	$6\frac{3}{4}$
Plate C 264, as described	$18 00

Plate C 265

ENAMELED Lavatory with enameled leg, *Usanco* overflow and soap cup.

DIMENSIONS

Size, 18 x 21 inches — Back, 8 inches

D basin, 11 x 15 inches

Roughing-in Measurements	18 x 21
Center to center supplies, inches	10
Center supplies to wall, inches	3
Center waste to wall, inches	6¾
Plate C 265, as described	$16 25
With nickel-plated Ideal waste	19 75

Plate C 272

ENAMELED Lavatory for nickel-plated Ideal waste.

DIMENSIONS

Size, 20 x 26 inches	Back, 8 inches	D basin, 11 x 15 inches
Size, 22 x 31 inches	Back, 8 inches	D basin, 13 x 17 inches

Roughing-in Measurements	20 x 26	22 x 31
Center to center supplies, inches	10	12
Center supplies to wall, inches	4	4
Center waste to wall, inches	3½	3½
Plate C 272, less fittings	$20 25	$25 25

Add for Ideal waste, $3.50.
May be furnished with combination fittings, as shown in Plate C 185 or C 186.



Plate C 273

ENAMELED Lavatory with *Usanco* overflow and soap cup.

DIMENSIONS

Size, 20 x 26 inches	Back, 8 inches	D basin, 11 x 15 inches
Size, 22 x 31 inches	Back, 8 inches	D basin, 13 x 17 inches

Roughing-in Measurements	20 x 26	22 x 31
Center to center supplies, inches	10	12
Center supplies to wall, inches	4	4
Center waste to wall, inches	8½	8¾
Plate C 273, as described	$20 25	$25 25

May be furnished with IXL waste.

United States

Plate C 274

ENAMELED Lavatory, for nickel-plated Ideal waste.

DIMENSIONS

Size, 20 x 24 inches Back, 12 inches D basin, 11¼ x 16½ inches

Roughing-in Measurements	20 x 24
Center to center supplies, inches	10
Center supplies to wall, inches	4
Center waste to wall, inches	4
Plate C 274, less fittings	$17 50

Add for Ideal waste, $3.50.

Plate C 275

ENAMELED Lavatory with *Usanco* overflow and soap cup.

DIMENSIONS

Size, 18 x 24 inches	Back, 10 inches	D basin, 11¼ x 16½ inches
Size, 20 x 24 inches	Back, 12 inches	D basin, 11¼ x 16½ inches

Roughing-in Measurements	18 x 24	20 x 24
Center to center supplies, inches	10	10
Center supplies to wall, inches	3¼	4
Center waste to wall, inches	8¼	9¼
Plate C 275, as described	$15 50	$17 50

May be furnished with IXL waste.

United States

Plate C 280

ENAMELED Lavatory with nickel-plated compression combination supply and waste fittings with china handles.

DIMENSIONS

Size, 20 x 24 inches	Back, 10 inches	D basin, 11 x 15 inches
Size, 22 x 28 inches	Back, 12 inches	D basin, 13 x 17 inches

Roughing-in Measurements	20 x 24	22 x 28
Center to center supplies, inches	10	12
Center supplies to wall, inches	3½	4
Center waste to wall, inches	3½	3¾
Plate C 280, as described	$32 00	$37 50
Plate C 280, less combination fixture	15 50	21 00

United States

Plate C 281

ENAMELED Lavatory with *Usanco* overflow and soap cup, for nickel-plated IXL waste.

DIMENSIONS

Size, 18 x 24 inches	Back, 10 inches	D basin, 11 x 15	inches
Size, 20 x 24 inches	Back, 10 inches	D basin, 11 x 15	inches
Size, 20 x 24 inches	Back, 12 inches	D basin, 11 x 15	inches
Size, 22 x 28 inches	Back, 12 inches	D basin, 13 x 17	inches

Roughing-in Measurements	18 x 24	20 x 24 x 10	20 x 24 x 12	22 x 28
Center to center supplies, inches	10	10	10	12
Center supplies to wall, inches	3¼	3½	3½	4
Center waste to wall, inches	7⅛	8	8	9
Plate C 281, as described	$14 00	$15 50	$17 50	$21 00

Add for IXL waste, $3.50.

Plate C 282

ENAMELED Lavatory, for nickel-plated Ideal waste.

DIMENSIONS

Size, 20 x 24 inches	Back, 10 inches	D basin, 11 x 15 inches
Size, 20 x 24 inches	Back, 12 inches	D basin, 11 x 15 inches
Size, 22 x 28 inches	Back, 12 inches	D basin, 13 x 17 inches

Roughing-in Measurements	20 x 24 x 10	20 x 24 x 12	22 x 28
Center to center supplies, inches	10	10	12
Center supplies to wall, inches	3½	3½	4
Center waste to wall, inches	3½	3½	3¾
Plate C 282, less fittings	$15 50	$17 50	$21 00

Add for Ideal waste, $3.50.

United States

Plate C 283

ENAMELED Lavatory with *Usanco* overflow and soap cup.

DIMENSIONS

Size, 18 x 24 inches	Back, 10 inches	D basin, 11 x 15 inches
Size, 20 x 24 inches	Back, 10 inches	D basin, 11 x 15 inches
Size, 20 x 24 inches	Back, 12 inches	D basin, 11 x 15 inches
Size, 22 x 28 inches	Back, 12 inches	D basin, 13 x 17 inches

Roughing-in Measurements	18 x 24	20 x 24 x 10	20 x 24 x 12	22 x 28
Center to center supplies, inches	10	10	10	12
Center supplies to wall, inches	3¼	3½	3½	4
Center waste to wall, inches	7⅛	8	8	9
Plate C 283, as described	$14 00	$15 50	$17 50	$21 00

Plate C 284

ENAMELED Lavatory with *Usanco* overflow and soap cup.

DIMENSIONS

Size, 20 x 24 inches Back, 10 inches

D basin, 11 x 15 inches

Roughing-in Measurements	20 x 24
Center to center supplies, inches	10
Center supplies to wall, inches	3¾
Center waste to wall, inches	8
Center waste to end wall, inches	12¼
Plate C 284, as described	$20 00

May be furnished with IXL waste.

Plate C 285

ENAMELED Lavatory with *Usanco* overflow and soap cup.

DIMENSIONS

Size, 20 x 24 inches Back, 10 inches

D basin, 11 x 15 inches

Roughing-in Measurements	20 x 24
Center to center supplies, inches	10
Center supplies to wall, inches	3¾
Center waste to wall, inches	8
Center waste to end wall, inches	12¼
Plate C 285, as described	$20 00

May be furnished with IXL waste.

United States

Plate C 290

ENAMELED Lavatory, for nickel-plated Ideal waste.

DIMENSIONS

Size, 18 x 21 inches — Back, 8 inches

D basin, 11 x 15 inches

Roughing-in Measurements	18 x 21
Center to center supplies, inches	10
Center supplies to wall, inches	3½
Center waste to wall, inches	3½
Plate C 290, less fittings	$10 25

Add for Ideal Waste, $3.50.

Plate C 291

ENAMELED Lavatory with *Usanco* overflow and soap cup.

DIMENSIONS

Size, 18 x 21 inches — Back, 8 inches

D basin, 11 x 15 inches

Roughing-in Measurements	18 x 21
Center to center supplies, inches	10
Center supplies to wall, inches	3
Center waste to wall, inches	6¾
Plate C 291, as described	$10 25

May be furnished with IXL waste.

Plate C 292

ENAMELED Lavatory with *Usanco* overflow and soap cup, for nickel-plated IXL waste.

DIMENSIONS

Size, 18 x 21 inches — Back, 6 inches

D basin, 11 x 15 inches

Roughing-in Measurements	18 x 21
Center to center supplies, inches	10
Center supplies to wall, inches	3
Center waste to wall, inches	3
Plate C 292, less fittings	$12 00

Add for IXL waste, $3.50.

Plate C 293

ENAMELED Lavatory with *Usanco* overflow and soap cup.

DIMENSIONS

Size, 18 x 21 inches Back, 6 inches

D basin, 11 x 15 inches

Roughing-in Measurements	18 x 21
Center to center supplies, inches	10
Center supplies to wall, inches	3
Center waste to wall, inches	6¾
Plate C 293, as described	$12 00

May be furnished with IXL waste.

United States

Plate C 304

ENAMELED Lavatory, for nickel-plated Ideal waste.

DIMENSIONS

Length on sides, 20 inches Back, 8 or 10 inches
D basin, 11 x 15 inches

Roughing-in Measurements	8-inch Back	10-inch Back
Center to center supplies, inches	7	7
Center right supply to wall, inches	3½	3½
Center left supply to right wall, inches	8½	8½
Center waste to wall, inches	5½	5½
Plate C 304, less fittings	$10 75	$13 50

Add for Ideal waste, $3.50.

Plate C 305

ENAMELED Lavatory with *Usanco* overflow and soap cup.

DIMENSIONS

Length on sides, 20 inches Back, 8 or 10 inches
D basin, 11 x 15 inches

Roughing-in Measurements	8-inch Back	10-inch Back
Center to center supplies, inches	7	7
Center right supply to wall, inches	3½	3½
Center left supply to right wall, inches	8½	8½
Center waste to wall, inches	9½	9½
Plate C 305, as described	$10 75	$13 50

May be furnished with IXL waste.



Plate C 306

ENAMELED Lavatory for nickel-plated Ideal waste.

DIMENSIONS

Length on sides, 17½ inches Back, 6 inches
D basin, 11 x 15 inches

Roughing-in Measurements	
Center to center supplies, inches	6
Center right supply to wall, inches	3
Center left supply to right wall, inches	7½
Center waste to wall, inches	4½
Plate C 306, less fittings	$10 00

Add for Ideal waste, $3.50.



Plate C 307

ENAMELED Lavatory with *Usanco* overflow and soap cup.

DIMENSIONS

Length on sides, 17½ inches Back, 6 inches
D basin, 11 x 15 inches

Roughing-in Measurements	
Center to center supplies, inches	6
Center right supply to wall, inches	3
Center left supply to right wall, inches	7½
Center waste to wall, inches	8¼
Plate C 307, as described	$10 00

May be furnished with IXL waste.

Plate C 312

ENAMELED Lavatory with ¾ apron, *Usanco* overflow and soap cup.

DIMENSIONS

Size, 18 x 24 inches	Back, 10 inches	D basin, 11 x 15 inches
Size, 20 x 24 inches	Back, 10 inches	D basin, 11 x 15 inches

Roughing-in Measurements	18 x 24	20 x 24
Center to center supplies, inches	10	10
Center supplies to wall, inches	3¼	3½
Center waste to wall, inches	7⅛	8
Plate C 312, as described	$13 00	$14 50

May be furnished with IXL waste.
May be furnished with Ideal waste in 20 x 24 size only.

Plate C 313

ENAMELED Lavatory with ¾ apron, *Usanco* overflow and soap cup.

DIMENSIONS

Size, 18 x 21 inches Back, 8 inches

D basin, 11 x 15 inches

Roughing-in Measurements	18 x 21
Center to center supplies, inches	10
Center supplies to wall, inches	3
Center waste to wall, inches	6¾
Plate C 313, as described	$8 75

May be furnished with IXL waste.

Plate C 314

ENAMELED Lavatory with ¾ apron, *Usanco* overflow and soap cup.

DIMENSIONS

Length on sides, 20 inches Back, 8 inches
D basin, 11 x 15 inches

Roughing-in Measurements	
Center to center supplies, inches	7
Center right supply to wall, inches	3½
Center left supply to right wall, inches	8½
Center waste to wall, inches	9½
Plate C 314, as described	$9 75

May be furnished with either IXL or Ideal waste.

Plate C 315

ENAMELED Lavatory with ¾ apron, *Usanco* overflow and soap cup.

DIMENSIONS

Length on sides, 17½ inches Back, 6 inches
D basin, 11 x 15 inches

Roughing-in Measurements	
Center to center supplies, inches	6
Center right supply to wall, inches	3
Center left supply to right wall, inches	7½
Center waste to wall, inches	8¼
Plate C 315, as described	$9 00

May be furnished with either IXL or Ideal waste.

Plate C 322

ENAMELED Lavatory for nickel-plated Ideal waste.

DIMENSIONS

Size, 20 x 24 inches — Back, 12 inches

D basin, 11¼ x 16½ inches

Roughing-in Measurements	20 x 24
Center to center supplies, inches	10
Center supplies to wall, inches	3¾
Center waste to wall, inches	3¾
Plate C 322, less fittings, exterior painted white	$14 00
Same, exterior enameled	17 00

Add for Ideal waste, $3.50.

United States

Plate C 323

ENAMELED Lavatory with *Usanco* overflow and soap cup.

DIMENSIONS

Size, 18 x 24 inches	Back, 10 inches	D basin, 11¼ x 16½ inches
Size, 20 x 24 inches	Back, 12 inches	D basin, 11¼ x 16½ inches

Roughing-in Measurements	18 x 24	20 x 24
Center to center supplies, inches	10	10
Center supplies to wall, inches	3¼	3¾
Center waste to wall, inches	8¼	9
Plate C 323, exterior painted white, as described	$12 00	$14 00
Same, exterior enameled	15 00	17 00

May be furnished with IXL waste.

Plate C 324

ENAMELED Lavatory for nickel-plated Ideal waste.

DIMENSIONS

Size, 20 x 24 inches	Back, 10 inches	D basin, 11 x 15 inches
Size, 22 x 28 inches	Back, 12 inches	D basin, 13 x 17 inches

Roughing-in Measurements	20 x 24	22 x 28
Center to center supplies, inches	10	12
Center supplies to wall, inches	3½	4
Center waste to wall, inches	3½	4
Plate C 324, less fittings, exterior painted white	$12 00	$16 50
Same, exterior enameled	15 00	19 50

Add for Ideal waste, $3.50.

United States

Plate C 325

ENAMELED Lavatory with *Usanco* overflow and soap cup.

DIMENSIONS

Size, 16 x 20 inches	Back, 9 inches	D basin, 10 x 14 inches
Size, 18 x 24 inches	Back, 10 inches	D basin, 11 x 15 inches
Size, 20 x 24 inches	Back, 10 inches	D basin, 11 x 15 inches
Size, 22 x 28 inches	Back, 12 inches	D basin, 13 x 17 inches

Roughing-in Measurements	16 x 20	18 x 24	20 x 24	22 x 28
Center to center supplies, inches	10	10	10	12
Center supplies to wall, inches	3	3¼	3½	4
Center waste to wall, inches	6½	7⅛	8	9
Plate C 325, as described, exterior painted white	$9 50	$11 00	$12 00	$16 50
Same, exterior enameled	12 00	13 75	15 00	19 50

May be furnished with IXL waste.
If with painted iron legs, add $2.00.



Plate C 326

ENAMELED Lavatory with *Usanco* overflow and soap cup.

DIMENSIONS

Size, 20 x 24 inches — Back, 10 inches

D basin, 11 x 15 inches

Roughing-in Measurements	20 x 24
Center to center supplies, inches	10
Center supplies to wall, inches	3¾
Center waste to wall, inches	8
Center waste to end wall, inches	12¼
Plate C 326, as described, exterior painted white	$17 25
Same, exterior enameled	20 00

May be furnished with IXL waste.

Plate C 327

ENAMELED Lavatory with *Usanco* overflow and soap cup.

DIMENSIONS

Size, 20 x 24 inches — Back, 10 inches

D basin, 11 x 15 inches

Roughing-in Measurements	20 x 24
Center to center supplies, inches	10
Center supplies to wall, inches	3¾
Center waste to wall, inches	8
Center waste to end wall, inches	12¼
Plate C 327, as described, exterior painted white	$17 25
Same, exterior enameled	20 00

May be furnished with IXL waste.

Plate C 332

ENAMELED Lavatory with *Usanco* overflow and soap cup.

DIMENSIONS

Size, 18 x 21 inches Back, 8 inches

D basin, 11 x 15 inches

Roughing-in Measurements	18 x 21
Center to center supplies, inches	10
Center supplies to wall, inches	3
Center waste to wall, inches	$6\frac{3}{4}$
Plate C 332, as described, exterior painted white	$7 25
Same, exterior enameled	10 00

May be furnished with IXL waste.

Plate C 333

ENAMELED Lavatory with *Usanco* overflow and soap cup.

DIMENSIONS

Size, 18 x 21 inches — Back, 6 inches

D basin, 11 x 15 inches

Roughing-in Measurements	18 x 21
Center to center supplies, inches	10
Center supplies to wall, inches	3
Center waste to wall, inches	6¾
Plate C 333, as described, exterior painted white	$7 00
Same, exterior enameled	9 00

May be furnished with IXL waste.

Plate C 334

ENAMELED Lavatory with *Usanco* overflow and soap cup.

DIMENSIONS

Size, 16 x 19 inches Back, 6 inches

D basin, 10 x 14 inches

Roughing-in Measurements	16 x 19
Center to center supplies, inches	10
Center supplies to wall, inches	3
Center waste to wall, inches	6¼
Plate C 334, as described, exterior painted white	$6 50
Same, exterior enameled	9 00

May be furnished with IXL waste.



Plate C 335

ENAMELED Lavatory with patent overflow.

DIMENSIONS

Size, 14 x 14 inches — Back, 4 inches

Round basin, 12 inches

Roughing-in Measurements	14 x 14
Center to center supplies, inches	11
Center supplies to wall, inches	3
Center waste to wall, inches	8½
Plate C 335, as described, exterior painted white	$5 00
Same, exterior enameled	6 00

Plate C 340

ENAMELED Lavatory for nickel-plated Ideal waste.

DIMENSIONS

Length on sides, 20 inches Back, 8 or 10 inches
D basin, 11 x 15 inches

Roughing-in Measurements	8-inch Back	10-inch Back
Center to center supplies, inches	7	7
Center right supply to wall, inches	3½	3½
Center left supply to right wall, inches	8½	8½
Center waste to wall, inches	5½	5½
Plate C 340, less fittings, exterior painted white	$8 25	$10 50
Same, exterior enameled	10 25	12 50

Add for Ideal waste, $3.50

Plate C 341

ENAMELED Lavatory with *Usanco* overflow and soap cup.

DIMENSIONS

Length on sides, 20 inches Back, 8 or 10 inches
D basin, 11 x 15 inches

Roughing-in Measurements	8-inch Back	10-inch Back
Center to center supplies, inches	7	7
Center right supply to wall, inches	3½	3½
Center left supply to right wall, inches	8½	8½
Center waste to wall, inches	9½	9½
Plate C 341, as described, exterior painted white	$8 25	$10 50
Same, exterior enameled	10 25	12 50

May be furnished with IXL waste.

Plate C 342

ENAMELED Lavatory for nickel-plated Ideal waste.

DIMENSIONS

Length on sides, 17½ inches — Back, 6 inches

D basin, 10 x 14 inches

Roughing-in Measurements	
Center to center supplies, inches	6
Center right supply to wall, inches	3
Center left supply to right wall, inches	7½
Center waste to wall, inches	4½
Plate C 342, less fittings, exterior painted white	$7 00
Same, exterior enameled	9 00

Add for Ideal waste, $3.50.

Plate C 343

ENAMELED Lavatory with *Usanco* overflow and soap cup.

DIMENSIONS

Length on sides, 17½ inches Back, 6 inches
D basin, 10 x 14 inches

Roughing-in Measurements	
Center to center supplies, inches	6
Center right supply to wall, inches	3
Center left supply to right wall, inches	7½
Center waste to wall, inches	8¼
Plate C 343, as described, exterior painted white	$7 00
Same, exterior enameled	9 00

May be furnished with IXL waste.

United States

Plate C 344

ENAMELED Lavatory with patent overflow.

DIMENSIONS

Length on sides, 15 inches — Back, 4 inches

Round basin, 12 inches

Roughing-in Measurements	
Center to center supplies, inches	15½
Center right supply to wall, inches	2¾
Center left supply to right wall, inches	13½
Center waste to wall, inches	8
Plate C 344, as described, exterior painted white	$5 00
Same, exterior enameled	6 00



Plate C 351

ENAMELED Lavatory with *Usanco* overflows and soap cups.

DIMENSIONS

Size, 20 x 44 inches Back, 10 inches D basins, 11 x 15 inches

Roughing-in Measurements	20 x 44
Center to center supplies, inches	10
Center to center wastes, inches	21¼
Center supplies to wall, inches	3¾
Center P. O. wastes to wall, inches	8
Center Ideal wastes to wall, inches	3¾
Plate C 351, as described	$30 00
Same, with nickel-plated Ideal wastes	37 00

May be furnished with IXL wastes.



Plate C 360

ENAMELED Lavatories with *Usanco* overflows and soap cups, nickel-plated brass union strips and iron floor brackets.

DIMENSIONS

Size, 18 x 24 inches D basins, 11 x 15 inches

Roughing-in Measurements	18 x 24
Center to center wastes, inches	24
Center to center supplies, inches	10
Center to center wastes, back to back, inches	15
Center to center supplies, back to back, inches	7
Plate C 360, three double sections, as described	$93 00
Add for each additional section of two basins	31 00



Plate C 362

ENAMELED Lavatories with *Usanco* overflows and soap cups, nickel-plated brass union strips and iron floor brackets.

DIMENSIONS

Size, 18 x 24 inches D basins, 11 x 15 inches

Roughing-in Measurements	18 x 24
Center to center wastes, inches	24
Center to center supplies, inches	10
Center to center wastes, back to back, inches	15
Center to center supplies, back to back, inches	7
Plate C 362, three double sections, as described	$72 00
Add for each additional section of two basins	24 00



Plate C 364

ENAMELED Lavatories with *Usanco* overflows and soap cups, iron floor brackets.

DIMENSIONS

Size, 20 x 24 inches — D basins, 11 x 15 inches
Size, 22 x 28 inches — D basins, 13 x 17 inches

Roughing-in Measurements	20 x 24	22 x 28
Center to center wastes, inches	25	29½
Center to center supplies, inches	10	12
Center to center wastes, back to back, inches	16	19
Center to center supplies, back to back, inches	4¼	9½
Plate C 364, three double sections, as described	$96 00	$112 50
Add for each additional section of two basins	32 00	37 50

May be furnished with Ideal wastes.



Plate C 367

ENAMELED Lavatories with *Usanco* overflows and soap cups, nickel-plated brass union strips and iron brackets.

DIMENSIONS

Size, 20 x 24 inches D basins, 11 x 15 inches
Backs, 10 inches

Roughing-in Measurements	20 x 24
Center to center wastes, inches	24
Center to center supplies, inches	10
Center supplies to wall, inches	4¼
Center wastes to wall, inches	8¼
Plate C 367, three section, as described	$46 50
Add for each additional section	15 50

May be furnished with IXL wastes.



Plate C 371

ENAMELED Lavatories with *Usanco* overflows and soap cups, nickel-plated brass union strips and iron floor brackets.

DIMENSIONS

Size, 18 x 24 inches — Backs, 10 inches

D basins, 11 x 15 inches

Roughing-in Measurements	18 x 24
Center to center wastes, inches	24
Center to center supplies, inches	10
Center supplies to wall, inches	3½
Center wastes to wall, inches	7½
Plate C 371, three-section, as described, exterior painted white	$39 00
Add for each additional section	13 00

May be furnished with IXL wastes.



Plate C 372

ENAMELED Lavatories with *Usanco* overflows and soap cups, nickel-plated brass union strips and iron brackets.

DIMENSIONS

Size, 16 x 20 inches	Backs, 10 inches	D basins, 10 x 14 inches
Size, 18 x 24 inches	Backs, 10 inches	D basins, 11 x 15 inches

Roughing-in Measurements	16 x 20	18 x 24
Center to center wastes, inches	20	24
Center to center supplies, inches	10	10
Center supplies to wall, inches	3	3½
Center wastes to wall, inches	6¾	7½
Plate C 372, three-section, as described, exterior painted white	$30 00	$36 00
Add for each additional section	10 00	12 00

May be furnished with IXL wastes.
If with painted iron legs, add per section, $1.00.

Plate C 373

ENAMELED Lavatories with *Usanco* overflows and soap cups, nickel-plated brass union strips and iron brackets.

DIMENSIONS

Size, 18 x 24 inches — Backs and end, 10 inches
D basins, 11 x 15 inches

Roughing-in Measurements	18 x 24
Center to center wastes, inches	24
Center to center supplies, inches	10
Center supplies to wall, inches	3½
Center wastes to wall, inches	7½
Center waste to end wall, inches	12¼
Plate C 373, two-section, as described, exterior painted white	$26 00
Add for each additional section	12 00

May be furnished with IXL wastes.



Plate C 374

ENAMELED Lavatories with *Usanco* overflows and soap cups, nickel-plated brass union strips and iron brackets.

DIMENSIONS

Size, 18 x 24 inches Backs and end, 10 inches
D basins, 11 x 15 inches

Roughing-in Measurements	18 x 24
Center to center wastes, inches	24
Center to center supplies, inches	10
Center supplies to wall, inches	3½
Center wastes to wall, inches	7½
Center waste to end wall, inches	12¼
Plate C 374, two-section, as described, exterior painted white	$26 00
Add for each additional section	12 00

May be furnished with IXL wastes.



Plate C 378

ENAMELED Lavatories with *Usanco* overflows and soap cups.

DIMENSIONS

Size, 18 x 24 inches	Backs, 10 inches	D basins, 11 x 15 inches
Size, 20 x 24 inches	Backs, 10 inches	D basins, 11 x 15 inches
Size, 22 x 28 inches	Backs, 12 inches	D basins, 13 x 17 inches

Roughing-in Measurements	18 x 24	20 x 24	22 x 28
Center to center wastes, inches	26	26	30
Center to center supplies, inches	10	10	12
Center supplies to wall, inches	3¼	3½	4
Center wastes to wall, inches	7⅛	8	9
Plate C 378, three-section, as described	$42 00	$46 50	$63 00
Add for each additional section	14 00	15 50	21 00

Above measurements allow 1½ inches between lavatories.
May be furnished with IXL wastes.



United States

Plate C 379

ENAMELED Lavatories with *Usanco* overflows and soap cups.

DIMENSIONS

Size, 18 x 21 inches — Backs, 8 inches

D basins, 11 x 15 inches

Roughing-in Measurements	18 x 21
Center to center wastes, inches	23
Center to center supplies, inches	10
Center supplies to wall, inches	3
Center wastes to wall, inches	6¾
Plate C 379, three-section, as described	$30 75
Add for each additional section	10 25

Above measurements allow 1½ inches between lavatories.
May be furnished with IXL wastes.



Plate C 380

ENAMELED Lavatories with *Usanco* overflows and soap cups, iron floor brackets.

DIMENSIONS

Size, 20 x 24 inches	Backs, 10 inches	D basins, 11 x 15 inches
Size, 22 x 28 inches	Backs, 12 inches	D basins, 13 x 17 inches

Roughing-in Measurements	20 x 24	22 x 28
Center to center wastes, inches	26	30
Center to center supplies, inches	10	12
Center supplies to wall, inches	3½	4
Center wastes to wall, inches	8	9
Plate C 380, three-section, as described	$52 50	$69 00
Add for each additional section	17 50	23 00

Above measurements allow 1½ inches between lavatories.
May be furnished with IXL wastes.

Plate C 385

ENAMELED Drinking Fountain with nickel-plated cast perforated grating.

DIMENSIONS

Size, 16 x 20 inches — Back, 9 inches

Basin, 10 x 14 inches

Roughing-in Measurements	
Center cock hole to boss on outlet, inches	12½
Center outlet to wall, inches	7
Plate C 385, as described, exterior painted white	$12 00

Plate C 388

ENAMELED Drinking Fountain with open strainer and waste connection.

DIMENSIONS

Size, 13¼ x 16 inches Back, 10 inches

Roughing-in Measurements	
Center cock hole to boss on outlet, inches	10¼
Center outlet to wall, inches	6¼
Plate C 388, as described	$11 50

Plate C 390

ENAMELED Recess Drinking Fountain with open strainer and waste connection.

DIMENSIONS, OVER ALL

Height, 18 inches Width, 11 inches Depth, 4¾ inches

TO FIT RECESS IN WALL

Height, 14 inches Width, 9½ inches Depth, 4½ inches

Roughing-in Measurements	
Center cock hole to bottom of slab, inches	8
Center outlet to wall, inches	1½
Plate C 390, as described	$11 00



Plate C 395

ENAMELED Integral Drinking Fountain and 6-inch back with nickel-plated brass bubbling cups.

ROUGHING-IN MEASUREMENTS

Center waste to wall . . . . . 6 inches
Depth of drinking fountain . . . . . 2½ inches

Plate C 395	12 x 30	12 x 42	12 x 54
Exterior painted white, as described	$20 00	$27 00	$36 00



Plate C 396

ENAMELED Drinking Fountain with wall brackets, nickel-plated brass bubbling cups.

ROUGHING-IN MEASUREMENTS

Center waste to wall . . . . . 7½ inches
Depth of drinking fountain . . . . . 2½ inches

Plate C 396	12 x 30	12 x 42	12 x 54
Exterior painted white, as described	$17 00	$22 75	$28 50

Above measurements allow 1½ inches between fountain and wall.

United States

Plate C 397

ENAMELED Drinking Fountain with wall brackets, nickel-plated brass bubbling cup.

ROUGHING-IN MEASUREMENTS

Size, 12 x 12 inches — Depth, 2½ inches

Center waste to wall, 9¼ inches

Plate C 397	
Exterior painted white, as described	$7 50

Above measurements allow 1½ inches between fountain and wall.

Plate C 398

ENAMELED Drinking Fountain with enameled steel round-bottom cup.

DIMENSIONS

Size, 10 x 13 inches — Back, 7½ inches

Basin, 6 x 7½ inches

Roughing-in Measurements	
Center cock hole to boss on outlet, inches	9
Center outlet to wall, inches	5¼
Plate C 398, as described, exterior painted white	$6 00
Same, exterior enameled	7 00

Plate C 402

ENAMELED Roll-Rim Integral Sink, drain board and back 12 inches high, with apron 5 inches deep. Concealed wall hanger and enameled adjustable legs.

DIMENSIONS

Sink, 20 x 30 inches — Drain Board, 20 x 24 inches

Roughing-in Measurements	20 x 30
Center to center cock holes, inches	8
Center waste to wall, inches	10
Center cock holes to floor, inches	37½
Length over apron, inches	53
Height from floor to top of back, inches	42
Floor to outlet, inches	22
Plate C 402, less bibbs	$41 25
Plate C 404, less bibbs, with right-hand end back	49 00

United States
Plate C 403

ENAMELED Roll-Rim Integral Sink, drain board and back 12 inches high, with apron 5 inches deep. Concealed wall hanger and enameled adjustable legs.

DIMENSIONS

Sink, 20 x 30 inches — Drain Board, 20 x 24 inches

Roughing-in Measurements	20 x 30
Center to center cock holes, inches	8
Center waste to wall, inches	10
Center cock holes to floor, inches	37½
Length over apron, inches	53
Height from floor to top of back, inches	42
Floor to outlet, inches	22
Plate C 403, less bibbs	$41 25
Plate C 405, less bibbs, with left-hand end back	49 00



Plate C 412

ENAMELED Sink, size 24 x 42 inches, with apron all around, enameled legs; 30-inch ash drain boards with nickel-plated telescope support.

Roughing-in Measurements	
Center waste to wall, inches	13½
Plate C 412, less bibbs	$52 00



Plate C 413

ENAMELED Sink, size 24 x 42 inches, with apron all around and enameled legs.

Roughing-in Measurements	
Center waste to wall, inches	13½
Plate C 413, less bibbs	$30 00

Plate C 416

ENAMELED Apron Sink, size 24 x 42 inches, 15-inch back, enameled legs.

Roughing-in Measurements	
Center to center cock holes, inches	8
Center waste to wall, inches	12½
Center cock holes to floor, inches	38
Plate C 416, less bibbs	$35 00



United States

Plate C 418

ENAMELED Roll-Rim Integral Sink and Back, 12 inches high, 5-inch apron, concealed wall hanger.

ROUGHING-IN MEASUREMENTS

Center to center cock holes . . . . . 8 inches
Center waste to wall, one-half the width of sink

Plate C 418	
20 x 30 inches	$20 00
22 x 36 inches	24 50

Above prices less bibbs and soap cup.
If with painted iron legs, add per pair, $1.00.
If with nickel-plated brass soap cup, add $0.50.



Plate C 424

ENAMELED Roll-Rim Integral Sink and back 12 inches high, concealed wall hanger, exterior painted white.

ROUGHING-IN MEASUREMENTS

Center to center cock holes . . . . . 8 inches
Center waste to wall, one-half the width of sink

Plate C 424	
18 x 24 inches	$9 25
18 x 30 inches	10 75
20 x 30 inches	11 50
20 x 36 inches	12 75
22 x 36 inches	13 25

Above prices less bibbs and soap cup.
If with painted iron legs, Plate C 425, add per pair $1.00.
If with nickel-plated brass soap cup, add $0.50.
If exterior is finished zinc white, add $4.00.

Plate C 430

ENAMELED Roll-Rim Sink and back 15 inches high; legs, brackets and exterior of sink painted white.

ROUGHING-IN MEASUREMENTS

Center to center cock holes	8 inches	Center cock holes to floor	38 inches
Center waste to wall	6¾ inches	Floor to top of roll	30½ inches

Plate C 430		Plate C 430	
18 x 24 inches	$9 75	20 x 36 inches	$13 25
18 x 30 inches	11 25	20 x 40 inches	14 50
18 x 36 inches	12 50	22 x 42 inches	15 00
20 x 30 inches	12 00	22 x 48 inches	18 00

Above prices less bibbs and soap cup.
If with nickel-plated brass soap cup, add $0.50.
If on brackets instead of legs, Plate C 431, deduct $0.50.

United States

Plate C 434

ENAMELED Roll-Rim Integral Sink, back and left-hand end, 12 inches high, concealed wall hanger.

ROUGHING-IN MEASUREMENTS

Center to center cock holes . . . . . 8 inches
Center waste to wall, one-half the width of sink

Plate C 434	
18 x 24 inches	$12 50
18 x 30 inches	14 00
20 x 30 inches	14 75
20 x 36 inches	16 00
22 x 36 inches	17 25

Above prices less bibbs and soap cup.
If with painted iron leg, add $0.50.
If with nickel-plated brass soap cup, add $0.50.
If exterior is finished zinc white, add $4.00.



Plate C 435

ENAMELED Roll-Rim Integral Sink, back and right-hand end, 12 inches high, concealed wall hanger.

ROUGHING-IN MEASUREMENTS

Center to center cock holes . . . . . 8 inches
Center waste to wall, one-half the width of sink

Plate C 435	
18 x 24 inches	$12 50
18 x 30 inches	14 00
20 x 30 inches	14 75
20 x 36 inches	16 00
22 x 36 inches	17 25

Above prices less bibbs and soap cup.
If with painted iron leg, add $0.50.
If with nickel-plated brass soap cup, add $0.50.
If exterior is finished zinc white, add $4.00.



Plate C 438

ENAMELED Roll-Rim Sink with back and left-hand end, 15 inches high; leg, bracket and exterior of sink painted white.

ROUGHING-IN MEASUREMENTS

Center to center cock holes	8 inches	Center cock holes to floor	38 inches
Center waste to wall	6¾ inches	Floor to top of roll	30½ inches

Plate C 438	
18 x 30 inches	$12 50
18 x 36 inches	13 75
20 x 30 inches	13 50
20 x 36 inches	14 75

Above prices less bibbs and soap cup.
If with nickel-plated brass soap cup, add $0.50.
If with bracket instead of leg, Plate C 437, deduct $0.25.



Plate C 439

ENAMELED Roll-Rim Sink with back and right hand end, 15 inches high; leg, bracket and exterior of sink painted white.

ROUGHING-IN MEASUREMENTS

Center to center cock holes	8 inches	Center cock holes to floor	38 inches
Center waste to wall	6¾ inches	Floor to top of roll	30½ inches

Plate C 439	
18 x 30 inches	$12 50
18 x 36 inches	13 75
20 x 30 inches	13 50
20 x 36 inches	14 75

Above prices less bibbs and soap cup.
If with nickel-plated brass soap cup, add $0.50.
If with bracket instead of leg, Plate C 440, deduct $0.25.



Plate C 450, with Ash Drain Board
Plate C 451, with Enameled Drain Board

ENAMELED Roll-Rim Sink and back, 15 inches high, drain board, 24 inches long; legs, brackets and exterior of sink painted white.

ROUGHING-IN MEASUREMENTS

Center to center cock holes	8 inches	Center cock holes to floor	38 inches
Center waste to wall	6¾ inches	Floor to top of roll	30½ inches

	Plate C 450	Plate C 451
18 x 24 inches	$16 90	$18 65
18 x 30 inches	18 40	20 15
18 x 36 inches	19 65	21 40
20 x 30 inches	19 35	21 60
20 x 36 inches	20 60	22 85

Above prices less bibbs and soap cup.
If with nickel-plated brass soap cup, add $0.50.
If with iron brackets instead of legs, deduct $0.50.

United States Sanitary Mfg Co.



Plate C 452, with Ash Drain Board
Plate C 453, with Enameled Drain Board

ENAMELED Roll-Rim Sink and back, 15 inches high, drain board, 24 inches long; legs, brackets and exterior of sink painted white.

ROUGHING-IN MEASUREMENTS

Center to center cock holes	8 inches	Center cock holes to floor	38 inches
Center waste to wall	6¾ inches	Floor to top of roll	30½ inches

	Plate C 452	Plate C 453
18 x 24 inches	$16 90	$18 65
18 x 30 inches	18 40	20 15
18 x 36 inches	19 65	21 40
20 x 30 inches	19 35	21 60
20 x 36 inches	20 60	22 85

Above prices less bibbs and soap cup.
If with nickel-plated brass soap cup, add $0.50.
If with iron brackets instead of legs, deduct $0.50.



Plate C 454, with Ash Drain Board
Plate C 455, with Enameled Drain Board

ENAMELED Roll-Rim Sink with back and left-hand end, 15 inches high; drain board, 24 inches long; leg, brackets and exterior of sink painted white.

ROUGHING-IN MEASUREMENTS

Center to center cock holes	8 inches
Center waste to wall	6¾ inches
Center cock holes to floor	38 inches
Floor to top of roll	30½ inches

	Plate C 454	Plate C 455
18 x 30 inches	$19 65	$21 40
18 x 36 inches	20 90	22 65
20 x 30 inches	20 85	23 10
20 x 36 inches	22 10	24 35

Above prices less bibbs and soap cup.
If with nickel-plated brass soap cup, add $0.50.

Plate C 456, with Ash Drain Board
Plate C 457, with Enameled Drain Board

ENAMELED Roll-Rim Sink with back and right-hand end, 15 inches high; drain board, 24 inches long; leg, brackets and exterior of sink painted white.

ROUGHING-IN MEASUREMENTS

Center to center cock holes	8 inches
Center waste to wall	6¾ inches
Center cock holes to floor	38 inches
Floor to top of roll	30½ inches

	Plate C 456	Plate C 457
18 x 30 inches	$19 65	$21 40
18 x 36 inches	20 90	22 65
20 x 30 inches	20 85	23 10
20 x 36 inches	22 10	24 35

Above prices less bibbs and soap cup.
If with nickel-plated brass soap cup, add $0.50.



Plate C 458, with Ash Drain Board
Plate C 459, with Enameled Drain Board

ENAMELED Roll-Rim Sink, with 15-inch back and left-hand end on drain board, drain board, 24 inches long; legs, brackets and exterior of sink painted white.

ROUGHING-IN MEASUREMENTS

Center to center cock holes	8 inches	Center left cock hole to end wall, 30-inch sink	33½ inches
Center waste to wall	6¾ inches		
Center cock holes to floor	38 inches	Center left cock hole to end wall, 36-inch sink	36½ inches
Floor to top of roll	30½ inches		

	Plate C 458	Plate C 459
18 x 30 inches	$20 40	$22 15
18 x 36 inches	21 65	23 40
20 x 30 inches	21 60	23 85
20 x 36 inches	22 85	25 10

Above prices less bibbs aud soap cup.
If with nickel-plated brass soap cup, add $0.50.



Plate C 460, with Ash Drain Board
Plate C 461, with Enameled Drain Board

ENAMELED Roll-Rim Sink, with 15-inch back and right-hand end on drain board, drain board, 24 inches long; legs, brackets and exterior of sink painted white.

ROUGHING-IN MEASUREMENTS

Center to center cock holes	8 inches	Center right cock hole to end wall, 30-inch sink	33½ inches
Center waste to wall	6¾ inches	Center right cock hole to end wall, 36-inch sink	36½ inches
Center cock holes to floor	38 inches		
Floor to top of roll	30½ inches		

	Plate C 460	Plate C 461
18 x 30 inches	$20 40	$22 15
18 x 36 inches	21 65	23 40
20 x 30 inches	21 60	23 85
20 x 36 inches	22 85	25 10

Above prices are less bibbs and soap cup.
If with nickel-plated brass soap cup, add $0.50.

Plate C 470

ENAMELED Round-corner Flat-rim Sink with center outlet and 12-inch roll-rim back, painted iron brackets and nickel-plated brass strainer; flange cut for supply pipes.

ROUGHING-IN MEASUREMENTS

Center to center cock holes . . . . . 8 inches
Center waste to wall . . . . . 5½ inches

Plate C 470	
16 x 24 inches	$7 00
18 x 30 inches	8 00
20 x 30 inches	9 00
18 x 36 inches	10 00
20 x 36 inches	11 00

United States

Plate C 471

ENAMELED Round-corner Flat-rim Sink with center outlet.

ROUGHING-IN MEASUREMENT

Center waste to wall . . . . . 5½ inches

Plate C 471	
16 x 24 x 6 inches	$3 50
18 x 30 x 6 inches	4 50
20 x 30 x 6 inches	4 75
18 x 36 x 6 inches	5 00
20 x 36 x 6 inches	5 50

Plate C 475

ENAMELED Flat-Rim Sinks, nickel-plated strainers, bolts, nuts and couplings.

Plate C 475		Plate C 475	
12 x 18 x 6 inches	$2 40	16 x 30 x 6 inches	$3 90
14 x 20 x 6 inches	3 00	18 x 30 x 6 inches	4 25
14 x 22 x 6 inches	3 10	20 x 30 x 6 inches	4 50
14 x 24 x 6 inches	3 15	18 x 36 x 6 inches	4 75
16 x 24 x 6 inches	3 25	20 x 36 x 6 inches	5 25
18 x 24 x 6 inches	3 50	20 x 40 x 6 inches	5 75
20 x 24 x 6 inches	3 75	22 x 42 x 6 inches	6 25
20 x 28 x 6 inches	4 00	22 x 48 x 6 inches	7 50

United States

Plate C 480

ENAMELED Roll-Rim Sink Back, for flat-rim sinks.

ROUGHING-IN MEASUREMENTS

Center to center cock holes	8	inches
Height of back	12	inches
Depth of roll	2¼	inches

Plate C 480	
Length, 24 inches	$2 50
Length, 30 inches	3 00
Length, 36 inches	3 75

If with galvanized air chambers, add per pair, $2.00.



Plate C 482

ENAMELED Roll-rim Sink Back, for flat-rim sinks.

ROUGHING-IN MEASUREMENTS

Center to center cock holes	8	inches
Height of back	15	inches
Depth of roll	1¾	inches

Plate C 482	
Length, 24 inches	$3 00
Length, 30 inches	3 75
Length, 36 inches	4 50
Length, 40 inches	5 00
Length, 42 inches	5 25
Length, 48 inches	7 00

If with galvanized air chambers, add per pair, $2.00.



Plate C 484

ENAMELED Roll-rim Sink Back, for flat-rim sinks.

ROUGHING-IN MEASUREMENTS

Center to center cock holes	8	inches
Height of back	12	inches
Depth of roll	1½	inches

Plate C 484	
Length, 20 inches	$1 80
Length, 22 inches	2 00
Length, 24 inches	2 20
Length, 28 inches	2 60
Length, 30 inches	2 80
Length, 36 inches	3 40
Length, 40 inches	3 80
Length, 42 inches	4 00
Length, 48 inches	5 00

United States

Plate C 486, 1½ Inches Deep
Plate C 487, 2¼ Inches Deep

ENAMELED Roll-Rim Sink Backs and End Pieces for flat-rim sinks; 12 inches high.

Length of Ends, Inches	1½ Inches Deep		2¼ Inches Deep	
	18	20	18	20
24-inch backs	$3 95	$4 20	$4 50	$4 75
28-inch backs	4 35	4 60		
30-inch backs	4 55	4 80	5 00	5 25
36-inch backs	5 15	5 40	5 75	6 00
40-inch backs	5 55	5 80		

May be furnished with either right or left end.



Plate C 490

ENAMELED Interchangeable Drain Board, with concealed bracket.

Width, Inches	18	20	22
16 inches long	$3 25	$3 50	
18 inches long	3 25	3 50	
24 inches long	3 75	4 00	$4 25



Plate C 495

ASH Wood Drain Board, bolts running through from side to side, with bent ash rim, nickel-plated hinges and nickel-plated telescope support.

Plate C 495, as described $12 00

Above price is for 30-inch board, any width.

United States

Plate C 497

ASH Wood Interchangeable Drain Board, with concealed bracket.

Plate C 497	
18 x 18 inches	$2 25
20 x 18 inches	2 50
22 x 18 inches	2 75
18 x 24 inches	2 50
20 x 24 inches	2 75
22 x 24 inches	3 00

The above may be furnished in other special sizes when desired.

United States

Plate C 499

ASH Wood Mat for enameled sinks.

Plate C 499	
For 18 x 24-inch roll-rim sinks	$1 50
For 18 x 30-inch roll-rim sinks	2 25
For 18 x 36-inch roll-rim sinks	3 00
For 20 x 30-inch roll-rim sinks	2 50
For 20 x 36-inch roll-rim sinks	3 25
For 22 x 36-inch roll-rim sinks	3 50
For 20 x 40-inch roll-rim sinks	3 50
For 22 x 42-inch roll-rim sinks	3 75
For 22 x 48-inch roll-rim sinks	4 50

United States

Plate C 504

ENAMELED Slop Sink, with roll-rim on all sides, trap-standard with 2-inch vent.

Roughing-in Measurements	16 x 20	18 x 22	20 x 24
Center vent to floor, inches	9	9	9
Center outlet to wall, inches	6	7	8
Plate C 504, as described	$14 00	$16 00	$18 00
Plate C 504, exterior finished zinc white	19 00	21 00	23 50

May be furnished with trap-standard as shown in Plate C 514.

Plate C 506

ENAMELED Roll-Rim Slop Sink with 12-inch back, cast integral, trap standard with 2-inch vent connection.

Roughing-in Measurements	16 x 20	18 x 22	20 x 24
Center to center cock holes, inches	8	8	8
Center cock holes to floor, inches	32½	32½	32½
Center vent to floor, inches	9	9	9
Center outlet to wall, inches	6	7	8
Plate C 506, as described	$16 00	$18 00	$20 00

May be furnished with trap standard as shown in Plate C 514.
Above prices are less bibbs.

Plate C 508

ENAMELED Roll-Rim Slop Sink with 12-inch back and end, cast integral, for right or left hand corner; trap standard with 2-inch vent connection.

Roughing-in Measurements	16 x 20	18 x 22	20 x 24
Center to center cock holes, inches	8	8	8
Center cock holes to floor, inches	32½	32½	32½
Center vent to floor, inches	9	9	9
Center outlet to wall, inches	6	7	8
Plate C 508, as described	$18 00	$20 00	$22 00

May be furnished with trap standard as shown in Plate C 514.
Above prices are less bibbs.

United States

Plate C 511

ENAMELED Roll-Rim Slop Sink, 15-inch back, trap-standard with 2-inch vent.

Roughing-in Measurements	16 x 20	18 x 22	20 x 24
Center to center cock holes, inches	8	8	8
Center cock holes to floor, inches	32½	32½	32½
Center vent to floor, inches	9	9	9
Center outlet to wall, inches	6	7	8
Plate C 511, as described	$16 00	$18 00	$20 00
Plate C 511, exterior finished zinc white	21 00	23 00	25 50

Above prices are less bibbs. If with galvanized air chambers, add per pair, $2.00.

Plate C 514

NEW YORK Pattern Trap-standard for Roll-Rim Slop Sinks; loose floor flange and brass cleanout, hub vent. May be furnished without vent if desired, and for either lead or iron pipe connection. Specify when ordering.

Roughing-in Measurements	
Center outlet to wall for 16 x 20 slop sink, inches	4½
Center outlet to wall for 18 x 22 slop sink, inches	5½
Center outlet to wall for 20 x 24 slop sink, inches	6½
Plate C 514, as described	$4 50
Plate C 514, exterior finished zinc white	5 50

NEW YORK Pattern Trap-standard for Porcelain Slop Sinks, brass cleanout, hub vent; tapped for 3-inch I. P. at inlet. May be furnished without vent if desired, and for either lead or iron pipe connection. Specify when ordering.

Roughing-in Measurements	
Center of inlet to center of outlet, inches	4
Floor to center of vent on casting, inches	9½
Plate C 516, as described	$7 00
Plate C 516, exterior enameled	8 00

Plate C 516

United States

Plate C 520

ENAMELED Flat-rim Slop Sink, 2-inch end outlet.

Plate C 520	
16 x 16 x 10 inches deep	$4 50
14 x 20 x 12 inches deep	5 10
16 x 20 x 12 inches deep	6 00
20 x 24 x 12 inches deep	7 25

Plate C 521

ENAMELED Flat-rim Slop Sink with round corners.

Plate C 521	Size Outlet, In.	
16 x 16 x 10 inches deep	4 and 2	$5 00
14 x 20 x 12 inches deep	4 and 2	5 70
16 x 20 x 12 inches deep	2	6 50
20 x 22 x 12 inches deep	4	7 20
20 x 24 x 12 inches deep	4 and 2	8 10

Patent applied for

Plate C 530

THE above illustrates our new funnel-shaped Sink Strainer, with removable top, which we are now furnishing on all roll-rim sinks.

This strainer is furnished with either 1¼-inch or 1½-inch nickel-plated tail piece and makes a simple, yet sanitary, sink strainer and connection, and eliminates the depression around the outlet, thus minimizing the liability of the enamel becoming chipped.

This Strainer can also be furnished on flat-rim sinks if desired.

All strainers furnished with 1½-inch tail pieces, unless otherwise specified.



Plate C 531, Sink couplings for iron pipe, each	$0 60
Plate C 532, Sink brackets:	
No. 1, for sinks 14 inches wide, each	35
No. 2, for sinks 18 inches wide, each	50
No. 3, for sinks 22 inches wide, each	75
Plate C 533, nickel-plated brass soap cup, each	55

Plates C 531, C 532 and C 533

Plate C 534, Nickel-plated sink strainers, per dozen	$4 00
Plate C 535, Nickel-plated plug sink strainers, per dozen	8 00
Plate C 536, Sink couplings, per dozen	1 25
Plate C 537, Sink bolts, nickel-plated brass, ⅞ x ¼, per 100	2 00
Plate C 538, Sink bolts, iron, 2 x ¼, per 100	1 50
Plate C 530, N. P. Sink strainers, with coupling and tail piece, each	50



C 534, C 535, C 536, C 537 and C 538

Plate C 544

ENAMELED Roll-rim Urinal, 10-inch back, cast integral, brass bee-hive strainer, brass wash-down pipe with loose key stop; brackets and exterior of urinal painted.

ROUGHING-IN MEASUREMENT

Center waste to wall . . . . . 4¼ inches

Plate C 544	
24-inch	$15 50
30-inch	17 75
36-inch	20 00
42-inch	22 25
48-inch	24 50
60-inch	30 50

Plate C 545

ENAMELED Roll-rim Urinal, 10-inch back, cast integral, brass bee-hive strainer; brackets and exterior of urinal painted.

ROUGHING-IN MEASUREMENT

Center waste to wall . . . . . 4¼ inches

Plate C 545	
24-inch	$10 50
30-inch	12 00
36-inch	13 50
42-inch	15 00
48-inch	16 50
60-inch	21 00

Plate C 560

ENAMELED Low-down Serpentine Front Closet Tank with lever flushing attachment.

DIMENSIONS, OVER ALL

Height, 18¾ inches Width, 21 inches

Wall to front, 7½ inches

Roughing-in Measurements	
Wall to center of outlet, inches	3¼
Wall to center of supply, inches	2¼
Center of supply to center of outlet, inches	7½
Plate C 560, enameled all over, with nickel-plated lever and back rod only	$16 00
Plate C 560, enameled inside only, with nickel-plated lever and back rod only	13 00

If with china handle on lever, add $0.50.

Plate C 562

ENAMELED Low-down Closet Tank with lever flushing attachment.

DIMENSIONS, OVER ALL

Height, 19¼ inches — Width, 20½ inches

Wall to front, 6½ inches

Roughing-in Measurements	
Wall to center of outlet, inches	3¼
Wall to center of supply, inches	2¼
Center of supply to center of outlet, inches	7¾
Plate C 562, enameled all over, with nickel-plated lever and back rod only	$14 00
Plate C 562, enameled inside only, with nickel-plated lever and back rod only	11 00

If with china handle on lever, add $0.50.

United States

Plate C 564

ENAMELED Low-down Closet Tank with push-button in center.

DIMENSIONS, OVER ALL

Height, 19¼ inches Width, 20½ inches

Wall to front, 6½ inches

Roughing-in Measurements	
Wall to center of outlet, inches	3¼
Wall to center of supply, inches	2¼
Center of supply to center of outlet, inches	7¾
Plate C 564, enameled all over, less fittings	$13 00
Plate C 564, enameled inside only, less fittings	10 00

May be furnished with side lever push, as shown in Plate C 566.

Plate C 566

ENAMELED Low-down Closet Tank with side lever push.

DIMENSIONS, OVER ALL

Height, 16½ inches Width, 19 inches
Wall to front, 6¾ inches

Roughing-in Measurements	
Wall to center of outlet, inches	3¼
Wall to center of supply, inches	2
Center of supply to center of outlet, inches	7
Plate C 566, enameled all over, less fittings	$10 25
Plate C 566, enameled inside only, less fittings	9 00

United States Sanitary Mfg Co.

Plate C 606

ENAMELED Combination Sink, laundry tray and back cast integral; 2-inch roll-rim, 6-inch back, with ash wood laundry tray cover and drain board combined, hinged to back; 1½-inch tray plug and 1½-inch sink strainer and plug. Exterior painted one coat.

DIMENSIONS

Length inside of tray	22 inches	Depth inside of tray	14 inches
Width inside of tray	21 inches	Depth inside of sink	7 inches
Length inside of sink	22 inches	Length over rims	50½ inches
Width inside of sink	21 inches	Width over rims	24½ inches

Roughing-in Measurements	On Tray	On Sink
Center waste to wall, inches	6¾	10
Center to center cock holes, inches	10	8
Center cock holes to floor, inches	27½	33
Center to center wastes, inches	17½	17½
Center waste to end over rim, inches	19¾	13¼

Plate C 606, as described $45 00
Price is less bibbs and soap cups.



Plate C 607

ENAMELED Combination Sink, laundry tray and back cast integral; 2-inch roll-rim, 6-inch back, with ash wood laundry tray cover and drain board combined, hinged to back; 1½-inch tray plug and 1½-inch sink strainer and plug. Exterior painted one coat.

DIMENSIONS

Length inside of tray	22 inches	Depth inside of tray	14 inches
Width inside of tray	21 inches	Depth inside of sink	7 inches
Length inside of sink	22 inches	Length over rims	50½ inches
Width inside of sink	21 inches	Width over rims	24½ inches

Roughing-in Measurements	On Tray	On Sink
Center waste to wall, inches	6¾	10
Center to center cock holes, inches	10	8
Center cock holes to floor, inches	27½	33
Center to center wastes, inches	17½	17½
Center waste to end over rim, inches	19¾	13¼

Plate C 607, as described $45 00
Price is less bibbs and soap cups.

Plate C 610

ENAMELED Combination Sink and Laundry Tray; sink, 1¾-inch roll-rim; tray, 2¼-inch roll-rim; ash wood drain board, hinged to back; nickel-plated strainer; 1½-inch nickel-plated tray plug; iron leg and pedestal; 15-inch back in one piece over sink and tray. Exterior painted one coat.

Plate C 610	As Described	With End on Sink
18 x 24-inch sink and one tray	$43 50	
18 x 30-inch sink and one tray	45 00	$47 00
20 x 30-inch sink and one tray	45 75	48 00

Dimensions and roughing-in measurements on application.
Above prices less bibbs and soap cups.
If with nickel-plated brass soap cups, add each, $0.50.



Plate C 611

ENAMELED Combination Sink and Laundry Tray; sink, 1¾-inch roll-rim; tray, 2¼-inch roll-rim; ash wood drain board, hinged to back; nickel-plated strainer; 1½-inch nickel-plated tray plug; iron leg and pedestal; 15-inch back in one piece over sink and tray. Exterior painted one coat.

Plate C 611	As Described	With End on Sink
18 x 24-inch sink and one tray	$43 50	
18 x 30-inch sink and one tray	45 00	$47 00
20 x 30-inch sink and one tray	45 75	48 00

Dimensions and roughing-in measurements on application.
Above prices less bibbs and soap cups.
If with nickel-plated brass soap cups, add each, $0.50.



Plate C 620

ENAMELED Two-part Laundry Tray and Back, cast integral; 2-inch roll-rim, 6-inch back, nickel-plated brass soap cups, 1½-inch tray plugs, iron legs; exterior painted one coat.

DIMENSIONS

Length inside	22	inches
Width inside	21	inches
Length over rims	51	inches
Width over rims from wall	24½	inches
Depth	14	inches

Roughing-in Measurements	
Center to center trays, inches	24
Center to center wastes, inches	11
Center waste to wall, inches	6¾
Center to center cock holes, inches	10
Center cock holes to floor, inches	33
Plate C 620, as described	$30 00

United States

Plate C 621

ENAMELED Two-part Laundry Tray, cast integral; 2-inch roll-rim, 12-inch back, nickel-plated brass soap cups, 1½-inch nickel-plated tray plugs, iron legs; exterior painted one coat.

DIMENSIONS

Length inside, 24 inches — Length over rim, 50 inches
Width inside, 23 inches — Width over rim from wall, 27 inches
Depth, 14½ inches

Roughing-in Measurements	
Center to center laundry trays, inches	23
Center to center wastes, inches	7¾
Center wastes to wall, inches	7¼
Center to center cock holes, inches	10
Center cock holes to floor, inches	36½
Plate C 621, as described	$31 50

If without back, deduct $6.00.
If with patent overflow, add, each tray, $2.00.



Plate C 630

ENAMELED Laundry Trays, 2¼-inch roll-rims, 12-inch backs, nickel-plated brass soap cups, nickel-plated brass union strips and wringer bases, 1½-inch nickel-plated tray plugs, iron pedestals; exterior painted one coat.

DIMENSIONS

Length inside, 24 inches
Width inside, 23 inches
Depth inside, 14½ inches
Width over rim from wall, 27 inches
Length over rim, set of 2 trays, 55 inches
Length over rim, set of 3 trays, 82 inches

Roughing-in Measurements	
Center to center laundry trays, inches	27
Center laundry trays to center of wastes, inches	7¼
Center wastes to wall, inches	7
Center to center cock holes, inches	10
Center cock holes to floor, inches	36½
Plate C 630, per set of two trays	$42 00
Plate C 630, per set of three trays	63 00

Above prices less bibbs, continuous waste and trap.
If with patent overflow, add, each tray, $2.00.



Plate C 631

ENAMELED Laundry Trays, 2¼-inch roll-rims, 12-inch backs, nickel-plated brass soap cups, nickel-plated brass union strips, 1½-inch nickel-plated tray plugs, iron pedestals; exterior painted one coat.

DIMENSIONS

Length inside, 24 inches
Width inside, 23 inches
Depth inside, 14½ inches
Width over rim from wall, 27 inches
Length over rim, set of 2 trays, 55 inches
Length over rim, set of 3 trays, 82 inches

Roughing-in Measurements	
Center to center laundry trays, inches	27
Center laundry trays to center of wastes, inches	7¼
Center wastes to wall, inches	7
Center to center cock holes, inches	10
Center cock holes to floor, inches	36½
Plate C 631, per set of two trays	$36 00
Plate C 631, per set of three trays	54 00

Above prices less bibbs, continuous waste and trap.
If with patent overflow, add, each tray, $2.00.



Plate C 634

ENAMELED Laundry Trays, 1½-inch flat rims, 12-inch backs, nickel-plated brass soap cups, nickel-plated brass union strips and wringer bases, 1½-inch nickel-plated tray plugs, iron pedestals; exterior painted one coat.

DIMENSIONS

Length inside, 24 inches	Width over rim from wall, 26 inches
Width inside, 23 inches	Length over rim, set of 2 trays, 54 inches
Depth inside, 14 inches	Length over rim, set of 3 trays, 81 inches

Roughing-in Measurements	
Center to center laundry trays, inches	27
Center laundry trays to center of wastes, inches	7¼
Center wastes to wall, inches	6½
Center to center cock holes, inches	10
Center cock holes to floor, inches	36½
Plate C 634, per set of two trays	$38 00
Plate C 634, per set of three trays	57 00

Above prices less bibbs, continuous waste and trap.
If with patent overflow, add, each tray, $2.00.
If without wringer bases, deduct, each, $3.00.



Plate C 640

ENAMELED Laundry Trays, 2¼-inch roll-rims, drilled for faucets, nickel-plated brass soap cups, nickel-plated brass union strips and wringer bases, 1½-inch nickel-plated tray plugs, iron pedestals; exterior painted one coat.

DIMENSIONS

Length inside, 24 inches
Width inside, 23 inches
Depth inside, 14½ inches
Width over rim from wall, 27 inches
Length over rim, set of 2 trays, 55 inches
Length over rim, set of 3 trays, 82 inches

Roughing-in Measurements	
Center to center laundry trays, inches	27
Center laundry trays to center of wastes, inches	7¼
Center wastes to wall, inches	8
Center to center cock holes, inches	10
Center cock holes to wall, inches	2¼
Plate C 640, per set of two trays	$36 00
Plate C 640, per set of three trays	54 00

Above measurements allow one inch from wall.
Above prices less bibbs, continuous waste and trap.
If with patent overflow, add, each tray, $2.00.



Plate C 641

ENAMELED Laundry Trays, 2¼-inch roll-rims, nickel-plated brass soap cups, nickel-plated brass union strips and wringer bases, 1½-inch nickel-plated tray plugs, iron pedestals; exterior painted one coat.

DIMENSIONS

Length inside 24 inches
Width inside, 23 inches
Depth inside, 14½ inches
Width over rim from wall, 27 inches
Length over rim, set of 2 trays, 55 inches
Length over rim, set of 3 trays, 82 inches

Roughing-in Measurements	
Center to center laundry trays, inches	27
Center laundry trays to center of wastes, inches	7¼
Center wastes to wall, inches	8
Center to center cock holes, inches	10
Center cock holes to floor, inches	27
Plate C 641, per set of two trays	$36 00
Plate C 641, per set of three trays	54 00

Above measurements allow one inch from wall.
Above prices less bibbs, continuous waste and trap.
If with patent overflow, add, each tray, $2.00.



Plate C 642

ENAMELED Laundry Trays, 2¼-inch roll-rims, nickel-plated brass soap cups, nickel-plated brass union strips, 1½-inch nickel-plated tray plugs, iron pedestals; exterior painted one coat.

DIMENSIONS

Length inside, 24 inches
Width inside, 23 inches
Depth inside, 14½ inches
Width over rim from wall, 27 inches
Length over rim, set of 2 trays, 55 inches
Length over rim, set of 3 trays, 82 inches

Roughing-in Measurements	
Center to center laundry trays, inches	27
Center laundry trays to center of wastes, inches	7¼
Center wastes to wall, inches	8
Center to center cock holes, inches	10
Center cock holes to floor, inches	27
Plate C 642, per set of two trays	$30 00
Plate C 642, per set of three trays	45 00

Above measurements allow one inch from wall.
Above prices less bibbs, continuous waste and trap.
If with patent overflow, add, each tray, $2.00.

United States Sanitary Mfg Co.

Plate C 645

ENAMELED Laundry Trays, 1½-inch flat rims, hinged ash covers, nickel-plated brass soap cups, 1½-inch nickel-plated tray plugs, iron pedestals; exterior painted one coat.

DIMENSIONS (Less covers)

Length inside, 24 inches	Width over rim from wall, 25 inches
Width inside, 23 inches	Length over rim, set of 2 trays, 54 inches
Depth inside, 14 inches	Length over rim, set of 3 trays, 81 inches

Roughing-in Measurements	
Center to center laundry trays, inches	27
Center laundry trays to center of wastes, inches	7¼
Center wastes to wall, inches	6½
Center to center cock holes, inches	10
Center cock holes to floor, inches	28
Plate C 645, per set of two trays	$28 00
Plate C 645, per set of three trays	42 00

Above prices less bibbs, continuous waste and trap.
If with patent overflow, add, each tray, $2.00.



Plate C 646

ENAMELED Laundry Trays, 1½-inch flat rims, nickel-plated brass soap cups, 1½-inch nickel-plated tray plugs, iron pedestals; exterior painted one coat.

DIMENSIONS

Length inside, 24 inches
Width inside, 23 inches
Depth inside, 14 inches
Width over rim from wall, 25 inches
Length over rim, set of 2 trays, 54 inches
Length over rim, set of 3 trays, 81 inches

Roughing-in Measurements	
Center to center laundry trays, inches	27
Center laundry trays to center of wastes, inches	7¼
Center wastes to wall, inches	6½
Center to center cock holes, inches	10
Center cock holes to floor, inches	28
Plate C 646, per set of two trays	$22 00
Plate C 646, per set of three trays	33 00

Above prices less bibbs, continuous waste and trap.
If with patent overflow, add, each tray, $2.00.
Add for wringer holders, bolted through rim, each, $0.50.
Furnished drilled for cocks unless otherwise specified.

Plate C 648

ENAMELED Laundry Tray, 2¼-inch roll-rim, 12-inch back, nickel-plated brass soap cup, 1½-inch nickel-plated tray plug, iron pedestal; exterior painted one coat.

DIMENSIONS

Length inside, 24 inches
Length over rim, 29 inches
Width inside, 23 inches
Width over rim from wall, 27 inches
Depth 14½ inches

Roughing-in Measurements	
Center to center cock holes, inches	10
Center cock holes to floor, inches	36½
Center waste to wall, inches	7
Plate C 648, one tray	$20 00

Above price less bibbs, waste and trap.
If with wringer base, add $3.00.
If with patent overflow, add $2.00.

Plate C 649

ENAMELED Pony Laundry Tray with wringer holder bolted through rim. May be used singly or in sets of two or more.

Dimensions	
Length inside, inches	21½
Length over rim, inches	24
Width inside, inches	19½
Width over rim, inches	22
Depth, inches	13½
Plate C 649, one tray	$9 50

Furnished not drilled for cocks unless otherwise specified.

GETTY RESEARCH INSTITUTE
3 3125 01430 1267